

Lecture Notes in Computer Science

The LNCS series reports state-of-the-art results in computer science research, development, and education, at a high level and in both printed and electronic form. Enjoying tight cooperation with the R&D community, with numerous individuals, as well as with prestigious organizations and societies, LNCS has grown into the most comprehensive computer science research forum available.

The scope of LNCS, including its subseries LNAI and LNBI, spans the whole range of computer science and information technology including interdisciplinary topics in a variety of application fields. The type of material published traditionally includes

- proceedings (published in time for the respective conference)
- post-proceedings (consisting of thoroughly revised final full papers)
- research monographs (which may be based on outstanding PhD work, research projects, technical reports, etc.)

More recently, several color-cover sublines have been added featuring, beyond a collection of papers, various added-value components; these sublines include

- tutorials (textbook-like monographs or collections of lectures given at advanced courses)
- state-of-the-art surveys (offering complete and mediated coverage of a topic)
- hot topics (introducing emergent topics to the broader community)

In parallel to the printed book, each new volume is published electronically in LNCS Online.

Detailed information on LNCS can be found at
www.springer.com/lncs

Proposals for publication should be sent to
LNCS Editorial, Tiergartenstr. 17, 69121 Heidelberg, Germany
E-mail: lncs@springer.com

ISSN 0302-9743

ISBN 978-3-642-16984-7



Lecture Notes in
Computer Science

LNCS 6385

Florian Daniel
Federico Michele Facca (Eds.)

Current Trends in Web Engineering

10th International Conference on Web Engineering
ICWE 2010 Workshops, Vienna, Austria, July 2010
Revised Selected Papers

Commenced Publication in 1973
Founding and Former Series Editors:
Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

Editorial Board

- David Hutchison
Lancaster University, UK
- Takeo Kanade
Carnegie Mellon University, Pittsburgh, PA, USA
- Josef Kittler
University of Surrey, Guildford, UK
- Jon M. Kleinberg
Cornell University, Ithaca, NY, USA
- Alfred Kobsa
University of California, Irvine, CA, USA
- Friedemann Mattern
ETH Zurich, Switzerland
- John C. Mitchell
Stanford University, CA, USA
- Moni Naor
Weizmann Institute of Science, Rehovot, Israel
- Oscar Nierstrasz
University of Bern, Switzerland
- C. Pandu Rangan
Indian Institute of Technology, Madras, India
- Bernhard Steffen
TU Dortmund University, Germany
- Madhu Sudan
Microsoft Research, Cambridge, MA, USA
- Demetri Terzopoulos
University of California, Los Angeles, CA, USA
- Doug Tygar
University of California, Berkeley, CA, USA
- Gerhard Weikum
Max Planck Institute for Informatics, Saarbruecken, Germany

Communicated Publication in 1973
Founding and former Series Editors:
Gerhard Goos, Jan Hartmanis, and Jan van Leeuwen

Editorial Board

- David Hutchison
Lancaster University, UK
- Tapani Kanade
Carnegie Mellon University, Pittsburgh, PA, USA
- Joost Kintner
University of Surrey, Guildford, UK
- Jon M. Kleinberg
Cornell University, Ithaca, NY, USA
- Alfred Kobsa
University of California, Irvine, CA, USA
- Friedemann Mattern
ETH Zurich, Switzerland
- John C. Mitchell
Stanford University, CA, USA
- Muel Naeff
Westmann Institute of Science, Rethoux, France
- Gösta Nilsson
University of Bern, Switzerland
- C. S. Rangan
Indian Institute of Technology, Madras, India
- Berndt Steffen
TU Dortmund University, Germany
- Martin Sudan
Microsoft Research, Cambridge, MA, USA
- Gennady Tsapras
University of California, Los Angeles, CA, USA
- Doug Tygar
University of California, Berkeley, CA, USA
- Göthard Widom
Max Planck Institute for Informatics, Saarbrücken, Germany

Florian Daniel
Federico Michele Facca (Eds.)

Current Trends in Web Engineering

10th International Conference on Web Engineering
ICWE 2010 Workshops, Vienna, Austria, July 2010
Revised Selected Papers



Volume Editors

Florian Daniel
University of Trento
Dipartimento di Ingegneria e Scienza dell'Informazione
Via Sommarive 14
38100 Povo, Trento, Italy
E-mail: daniel@disi.unitn.it

Federico Michele Facca
CREATE-NET, Via alla Cascata 56/D
38123 Povo, Trento, Italy
E-mail: federico.facca@create-net.org

Library of Congress Control Number: 2010938284

CR Subject Classification (1998): H.5, H.4, H.3, K.6, D.2, C.2, H.3.5, H.5.3

LNCS Sublibrary: SL 3 – Information Systems and Application, incl. Internet/Web and HCI

ISSN 0302-9743
ISBN-10 3-642-16984-8 Springer Berlin Heidelberg New York
ISBN-13 978-3-642-16984-7 Springer Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

springer.com

© Springer-Verlag Berlin Heidelberg 2010
Printed in Germany

Typesetting: Camera-ready by author, data conversion by Scientific Publishing Services, Chennai, India
Printed on acid-free paper 06/3180

Foreword

Continuing its consolidated and prestigious tradition, the tenth edition of the International Conference on Web Engineering (ICWE 2010) complemented its research and industrial program with a selection of workshops extending the conference's program. The workshops offered Web engineering researchers and practitioners the opportunity for highly interactive sessions, which included in-depth, topical presentations and discussions of emerging research challenges and preliminary results. This volume collects the contributions of the hosted workshops and the co-located Doctoral Consortium.

In light of the need to offer an always novel and interesting program reflecting the emerging research of the Web engineering community, we made a huge effort to renovate the conference's workshop program, to enlarge the choice to authors and participants, and to attract high-quality contributions. The Web engineering community is a constantly growing group that, on the one hand, is working on a set of consolidated topics and, on the other hand, is constantly getting inspired by cutting edge technologies or societal trends. Thus, to enlarge the choice to both potential workshop organizers and authors, in designing this edition's workshop program we pursued two goals: First, we aimed at providing the typical audience of ICWE with a set of workshop topics that reflect the traditional interests of the community and that are as wide and comprehensive as possible. We achieved this goal thanks to well-established workshops covering topics such as model-driven development, quality and usability of Web applications, rich Internet applications (RIAs), and light-weight, component-based development of Web applications (e.g., mashups). Second, we wanted to attract new audiences to the conference, selecting also novel workshops that cover topics of an emerging or foundational nature that extend the focus of ICWE beyond its traditional topics. We reached this goal by betting on subjects such as the Semantic Web, semantic data management, the Internet of things, Web-enabled tourism, service-based compliance management, and e-crowdsourcing.

The result of this work is the selection of 9 workshops, out of 16 submitted workshop proposals, that were successfully held in Vienna on July 5 and 6, 2010:

- *MDWE 2010*: Sixth Model-Driven Web Engineering Workshop
- *QWE 2010*: First International Workshop on Quality in Web Engineering
- *SWIM 2010*: Second International Workshop on Semantic Web Information Management
- *SWEng 2010*: First International Workshop on Service Web Engineering
- *ESW 2010*: First Workshop on Engineering SOA and the Web
- *ComposableWeb 2010*: Second International Workshop on Lightweight Composition on the Web
- *EC 2010*: First International Workshop on Enterprise Crowdsourcing

- *TouchTheWeb 2010*: First International Workshop on Web-Enabled Objects
- *WEBTOUR 2010*: First International Workshop on Web Engineering and Tourism

The success of this year's workshop program is reflected in the incredible number of submissions, the high level of participation, and the impact registered by the individual workshops. Together, all workshops attracted more than 100 workshop paper submissions, an outstanding result. Including the submissions to the Doctoral Consortium, the co-located events for this edition of ICWE jointly attracted almost as many submissions as the main conference. The high number of submissions, on the one hand, implied higher competition among the submissions and, on the other hand, assured the top quality of the selected papers.

Following the exceptionality of this year's edition, we decided for the first time to establish a best workshop paper award, to be assigned to the best contribution out of all workshop paper submissions. The award was won by Roberto Mirizzi, Azzurra Ragone, Tommaso Di Noia, and Eugenio Di Sciascio for their paper entitled "*Semantic Wonder Cloud: Exploratory Search in DBpedia*," which was presented at the SWIM 2010 workshop. You can find the paper in this volume.

As an acknowledgment of the quality of the workshop program, we are proud that we could reach an agreement with Springer for the publication of all accepted papers in Springer's *Lecture Notes in Computer Science (LNCS)* series. We opted for post-workshop proceedings, a publication modality that allowed the authors – when preparing the final version of their papers for inclusion in the proceedings – to take into account the feedback they received during the workshops and to further improve the quality of their papers. We believe that this volume provides an interesting and up-to-date picture of what are the last trends and new ideas fermenting right now in the Web engineering community. Some of the papers included in this volume unveil unexpected, novel aspects and synergies that we think will be taken up in the future and may become mainstream research lines.

Without enthusiastic and committed authors this volume would not have been possible. Thus, our first thanks go to the researchers, practitioners, and PhD students who contributed to this volume with their work. We thank the organizers of the workshops and the Doctoral Consortium who reliably managed the organization of their events, the selection of the highest-quality papers, and the moderation of their events during the two workshop days. Finally, we would like to thank the General Chair of ICWE 2010, Gerti Kappel, and the Program Chairs, Boualem Benatallah, Fabio Casati, and Gustavo Rossi, for their constant support and trust in our work. We enjoyed organizing this edition of the workshop program, reading the articles, and assembling the post-workshop proceedings in conjunction with the workshop organizers. We hope you enjoy in the same way the reading of this volume.

July 2010

Florian Daniel
Federico M. Facca

Preface

The preface of this volume collects the prefaces of the post-workshop proceedings of the individual workshops. The actual workshop papers, grouped by event, can be found in the body of this volume.

Sixth International Workshop on Model-Driven Web Engineering (MDWE 2010)

Organizers: Gustavo Rossi, Nora Koch, Geert-Jan Houben, and Antonio Vallecillo

Web engineering is a specific domain in which model-driven engineering (MDE) can be successfully applied. Existing model-based Web engineering approaches already provide excellent methods and tools for the design and development of most kinds of Web applications. They address different concerns using separate models (navigation, presentation, workflows, etc.) and come with model compilers that produce most of the application's Web pages and logic based on these models. However, most of these Web engineering proposals do not fully exploit all the potential benefits of MDE, such as complete platform independence, meta-modeling, and model transformations.

In addition, there is an increasing trend towards the incorporation of emerging technologies like rich Internet applications, mashups, Semantic Web and (Semantic) Web rule languages, which aim at fostering application interoperability, especially within the scope of Web 2.0 and its related technologies and richer applications. These current trends involve new challenges both to the modeling and model-driven development domains. However, the effective integration of all these new techniques with the already existing model-based Web engineering approaches is still unresolved.

Accordingly, we invited original, high-quality submissions for the 2010 edition of the Model-Driven Web Engineering Workshop. In response to the call for papers, a total of eleven submissions were received. Each submitted paper was formally peer reviewed by at least three referees, and six papers were finally accepted for presentation at the Workshop and publication in the proceedings. This workshop builds on the success of the preceding 2005, 2006, 2007, 2008 and 2009 MDWE Workshops (held, respectively, in Sydney jointly with ICWE 2005, in Menlo Park jointly with ICWE 2006, and in Como jointly with ICWE 2007, in Toulouse jointly with MoDELS 2008 and in San Sebastián jointly with ICWE 2009). This year it was held in conjunction with the ICWE 2010 conference in Vienna, Austria.

The aim of this workshop was to provide a forum to discuss the state of the art in model-driven Web engineering (MDWE), where researchers and practitioners could meet to outline a roadmap that addresses the key challenges in this area. After each presentation, workshop participants and presenters had the opportunity to exchange some ideas. In the final session the lively discussion focused on the inclusion of new models in the model-driven process, such as models for quantitative analysis and models for understanding user behavior. Discussion was also centered on model evolution and the need of real examples for evaluating model-driven engineering approaches. Further information about the presented papers, together with the Call for Papers, and all the information relevant to the workshop, is available at the website of the event (see <http://mdwe2010.pst.ifi.lmu.de/>)

We would like to thank the ICWE 2010 organization for giving us the opportunity to organize this workshop, especially to the Workshops Chairs, Florian Daniel and Federico M. Facca, who were always very helpful and supportive. Many thanks to all those that submitted papers, and particularly to the contributing author and the presenters of the papers: Gerald Hübsch, Esteban Robles Luna, Alessio Gambi, Daniel Schwabe, Tobias George and Alessandro Bozzon. Our gratitude also goes to the reviewers and the members of the Program Committee for their timely and accurate reviews and for their help in choosing and improving the selected papers.

July 2010

Gustavo Rossi
Nora Koch
Geert-Jan Houben
Antonio Vallecillo

Program Committee

Luciano Baresi	Politecnico di Milano, Italy
Sara Comai	Politecnico di Milano, Italy
Olga De Troyer	Vrije Universiteit Brussel, Belgium
Damiano Distanto	Università Telematica TEL.M.A., Italy
María José Escalona	Universidad de Sevilla, Spain
Piero Fraternali	Politecnico di Milano, Italy
Howard Foster	Imperial College London, UK
Irene Garrigós	Universidad de Alicante, Spain
Athula Ginige	University of Western Sydney, Australia
Heinrich Hussmann	Universität München, Germany
Alexander Knapp	University of London, UK
Maristella Matera	Politecnico di Milano, Italy
Santiago Meliá	Universidad de Alicante, Spain
Pierre-Alain Muller	University of Haute-Alsace, France
Vicente Pelechano	Universidad Politécnica de Valencia, Spain

Alfonso Pierantonio	Università Degli Studi Dell'Aquila, Italy
Fernando Sánchez Figueroa	Universidad de La Rioja, Spain
Juan Manuel Vara	Universidad Rey Juan Carlos, Spain
Marco Winckler	University Paul Sabatier, France

First International Workshop on Quality in Web Engineering (QWE 2010)

Organizers: Silvia Abrahão, Cinzia Cappiello, Cristina Cachero, and Maristella Matera

The production of Web applications has been among the fastest growing segments of the software industry for several years. Web-based companies depend on customers using their sites, and most importantly, returning to their sites. This means that unlike many other applications, Web applications only succeed if they satisfy customers' needs. However, some recent studies suggest that more than 50% of the delivered Web applications are of poor quality.

To achieve quality for any class of Web products (e.g., a data-intensive application, a Web service, a community portal), the set of relevant quality attributes for Web artifacts must be clearly defined. Otherwise, quality assessment is left to the intuition or the responsibility of people who are in charge of the process. Quality models should be built to precisely identify the quality attributes and the relationships among them. Based on these quality models, adequate (i.e., quality aware) development and assessment techniques should then be applied during the whole application life cycle.

This need to reflect on and advance methods and techniques that help improve the quality of delivered Web applications led us to organize the first edition of the International Workshop on Quality in Web Engineering (QWE 2010) that was held in conjunction with the 10th International Conference on Web Engineering (ICWE), in Vienna, Austria, in July 2010. The event capitalized on our previous experience with the organization of three editions of the International Workshop of Web Usability and Accessibility (IWWUA), trying, however, to enlarge the initial usability and accessibility scope to the broader concept of quality. The main purpose was to discuss new, quality-oriented trends in Web application engineering, and to provide an international forum for information exchange on methodological, technical and theoretical aspects.

These proceedings collect the papers presented at the workshop. All the submitted papers were peer-reviewed by three independent reviewers. The acceptance rate of the workshop was 44%. The accepted papers (four regular papers and one short paper) discuss novel aspects of Web application quality, ranging from new quality models and quality-enhanced development processes to advanced quality factors, such as security in mobile environments, reliability of search engine results, and also adaptivity through recommendations.

We would like to thank all the authors for submitting their manuscripts to the workshop and contributing to the fine form that the interesting program

took. Also, we would like to thank the members of the Program Committee for their efforts in the reviewing process, and the ICWE organizers for their support and assistance in the production of these proceedings.

We are especially grateful to Shadi Abou-Zahra, Activity Lead at the WAI International Program Office (W3C, Wien, Austria), for his interesting keynote speech "Better Web: Accessible and Standards Compliant." More details on the workshop are available at <http://gplsi.dlsi.ua.es/congresos/qwe10/>

July 2010

Silvia Abrahão
Cinzia Cappiello
Cristina Cachero
Maristella Matera

Program Committee

Shadi Abou-Zahra	World Wide Web Consortium (W3C)
Davide Bolchini	Indiana University, USA
Giorgio Brajnik	University of Udine, Italy
Ismael Caballero	University of Castilla-la-Mancha, Spain
Coral Calero	University of Castilla-la-Mancha, Spain
Tiziana Catarci	University of Rome, Italy
Sven Casteleyn	Vrije Universiteit Brussel, Belgium
Florian Daniel	Politecnico di Milano, Italy
Martin Gaedke	Chemnitz University of Technology, Germany
Bernd Heinrich	Innsbruck University School of Management, Austria
Geert-Jan Houben	Delft University of Technology, The Netherlands
Emilio Insfran	Universidad Politécnica de Valencia, Spain
Effie Lai-Chong Law	ETH Zürich, Switzerland
Maria Dolores Lozano	University of Castilla-la-Mancha, Spain
Vicente Luque Centeno	University Carlos III, Spain
Luis Olsina	Universidad Nacional de La Pampa, Argentina
Geert Poels	University of Ghent, Belgium
Simos Retalis	University of Piraeus, Greece
Gustavo Rossi	LIFIA, UNLP, Argentina
Carmen Santoro	ISTI-CNR, Italy
Monica Scannapieco	University of Rome, Italy
Wieland Schwinger	Johannes Kepler University, Austria
Marco Winckler	University Paul Sabatier, France

Second International Workshop on Semantic Web Information Management (SWIM 2010)

Organizers: Roberto De Virgilio, Fausto Giunchiglia, and Letizia Tanca

The ceaseless expansion of the World Wide Web is making it more and more complex for humans to efficiently find the needed information. The underlying idea of having a description of the data on the Web, organized in such a way as to be used by machines for automation, integration and reuse across various applications, has been exploited in several research fields.

As in the first edition, this International Workshop on "Semantic Web Information Management" (SWIM) aimed at reviewing the most recent data-centered solutions for the Semantic Web. In particular, its ambition was to present and analyze the techniques for semantic information management, by taking advantage of the synergisms between the logical basis of the Semantic Web and the logical foundations of conceptual modeling. Indeed, the leitmotif of this research is the proposal of models and methods conceived to represent and manage the so-called "semantic data," that is, data appropriately structured to be easily machine-processable on the Web, according to semantic models (e.g. RDF, RDF(S), OWL). The long-standing experience of the information modeling community can provide a priceless contribution to the substantial problems arising in semantic data management.

The new research issues can be summarized by the following problems:

1. How can we efficiently and effectively store large amounts of semantic data?
2. How can we query semantic data and reason on them in a feasible way?
3. How can we exploit such semantic data in real world scenarios?

This workshop covers the emerging area of the Semantic Web, gathering researchers to debate, propose, and elaborate the foundations for a data-modeling approach to these problems, by presenting running research and projects on these topics.

June 2010

Roberto De Virgilio
Fausto Giunchiglia
Letizia Tanca

Program Committee

Nick Bassiliades	Aristotle University of Thessaloniki, Greece
Devis Bianchini	University of Brescia, Italy
Sourav S. Bhowmick	Nanyang Technological University, Singapore
Jorge Bernardino	Polytechnic of Coimbra, Portugal
Paolo Cappellari	Dublin City University, Ireland

Table of Contents

Sixth Model-Driven Web Engineering Workshop (MDWE)	
Rapid Development of Composite Applications Using Annotated Web Services	1
<i>Lars Dannecker, Marius Feldmann, Tobias Nestler, Gerald Hübsch, Uwe Jugel, and Klemens Muthmann</i>	
From Mockups to User Interface Models: An Extensible Model Driven Approach	13
<i>José Matías Rivero, Gustavo Rossi, Julián Grigera, Juan Burella, Esteban Robles Luna, and Silvia Gordillo</i>	
Model-Driven Web Engineering Performance Prediction with Layered Queue Networks	25
<i>Alessio Gambi, Giovanni Toffetti, and Sara Comai</i>	
Models and Meta Models for Transactions in Web Applications	37
<i>Mark Douglas Jacyntho and Daniel Schwabe</i>	
Using Actions Charts for Reactive Web Application Modeling	49
<i>Nina Geiger, Tobias George, Marcel Hahn, Ruben Jubeh, and Albert Zündorf</i>	
Modeling Search Computing Applications	61
<i>Alessandro Bozzon, Marco Brambilla, Alessandro Campi, Stefano Ceri, Francesco Corcoglioniti, Piero Fraternali, and Salvatore Vadacca</i>	
First International Workshop on Quality in Web Engineering (QWE)	
Developing Security Assessment Models in Web ² Mobile Environments	73
<i>Bong Gyou Lee, Hyunsik Seo, Giseob Byun, Keon Chul Park, Soo Kyung Park, and Taisiya Kim</i>	
Association-Rules-Based Recommender System for Personalization in Adaptive Web-Based Applications	85
<i>Daniel Mican and Nicolae Tomai</i>	
Quality in Use Model for Web Portals (QiUWeP)	91
<i>Mayte Herrera, M^a Ángeles Moraga, Ismael Caballero, and Coral Calero</i>	

Towards Support Processes for Web Projects	102
<i>Pablo Becker and Luis Olsina</i>	
Reliability Verification of Search Engines' Hit Counts: How to Select a Reliable Hit Count for a Query	114
<i>Takuya Funahashi and Hayato Yamana</i>	
Second International Workshop on Semantic Web Information Management (SWIM)	
Selecting Materialized Views for RDF Data	126
<i>Roger Castillo and Ulf Leser</i>	
Semantic Wonder Cloud: Exploratory Search in DBpedia	138
<i>Roberto Mirizzi, Azzurra Ragone, Tommaso Di Noia, and Eugenio Di Sciascio</i>	
Managing Adaptivity in Web Collaborative Processes Using Policies and User Profiles	150
<i>Juri Luca De Coi, Marco Fisichella, and Maristella Matera</i>	
Transformation of the Common Information Model to OWL	163
<i>Andreas Textor, Jeanne Stynes, and Reinhold Kroeger</i>	
Improving Web Search Results for Homonyms by Suggesting Completions from an Ontology	175
<i>Tian Tian, James Geller, and Soon Ae Chun</i>	
How to Modify on the Semantic Web? A Web Application Architecture for Algebraic Graph Transformations on RDF	187
<i>Benjamin Braatz and Christoph Brandt</i>	
T ² .O.M. T.O.M.: Techniques and Technologies for an Ontology-Based Mobility Tool with Open Maps	199
<i>Michele Ruta, Floriano Scioscia, Saverio Ieva, and Eugenio Di Sciascio</i>	
An Approach to Semantic Information Retrieval Based on Natural Language Query Understanding	211
<i>Beniamino Di Martino</i>	
Slicing Linked Data by Extracting Significant, Self-describing Subsets: The DBpedia Case	223
<i>Michele Minno, Davide Palmisano, and Michele Mostarda</i>	
Automatically Identifying Bounds on Semantic Annotations for Bioinformatics Web Service Input Parameters	232
<i>Ravinder Singh, Sean Bechhofer, Khalid Belhajjame, and Suzanne M. Embury</i>	

First International Workshop on Service Web Engineering (SWEng)

REST Inspired Code Partitioning with a JavaScript Middleware	244
<i>Janne Kuuskeri and Tommi Mikkonen</i>	
The SOA Paradigm and e-Service Architecture Reconsidered from the e-Business Perspective	256
<i>Stanisław Ambroszkiewicz, Waldemar Bartyna, Marek Faderewski, Dariusz Mikułowski, Marek Piłski, Marcin Stepniak, and Grzegorz Terlikowski</i>	
Semantic Annotation of RESTful Services Using External Resources	266
<i>Victor Saquicela, Luis.M. Vilches-Blázquez, and Óscar Corcho</i>	
First Workshop on Engineering SOA and the Web (ESW)	
Analyzing Compliance of Service-Based Business Processes for Root-Cause Analysis and Prediction	277
<i>Carlos Rodríguez, Patrícia Silveira, Florian Daniel, and Fabio Casati</i>	
Trade-off between Complexity of Structured Tagging and Effectiveness of Web Service Retrieval	289
<i>Maciej Gawinecki, Giacomo Cabri, Maria Ganzha, and Marcin Paprzycki</i>	
Aspect-Oriented Checkpointing Approach of Composed Web Services ...	301
<i>Soumaya Marzouk, Afef Jmal Maâlej, and Mohamed Jmaiel</i>	
A Runtime Performance Analysis for Web Service-Based Applications	313
<i>Afef Mdhaffar, Soumaya Marzouk, Riadh Ben Halima, and Mohamed Jmaiel</i>	
Business Process Compliance through Reusable Units of Compliant Processes	325
<i>David Schumm, Oktay Turetken, Natallia Kokash, Amal Elgammal, Frank Leymann, and Willem-Jan van den Heuvel</i>	

Second International Workshop on Lightweight Composition on the Web (ComposableWeb)

An Approach to Enable Replacement of SOAP Services and REST Services in Lightweight Processes	338
<i>Teodoro De Giorgio, Gianluca Ripa, and Maurizio Zuccalà</i>	

5 Conclusions

One of the most important goal of an adaptive web application is the content recommendation in a period of time as short as possible. In this article, we proposed WRS for content recommendation and we used association rules in order to model existing connections between the pages of a web application. The proposed system brings an additional benefit, because it allows the finding and maintaining in the system of the rules existing between those pages that are not frequently accessed by users, too. In this article, we proposed a different approach for a recommendation system, by integrating the pattern discovery phase and that of data collection and filtering into a single module. Following the undertaken experiments, it resulted that the proposed model is very efficient in recommending the content and can be easily implemented within any web application. In the future, we wish to continue the optimisation of the recommendation system by incorporating different particularities resulting from the type of content existing in different web applications. Likewise, we would like to exploit knowledge extracted over a longer period of time, in order to see the evolution of the intensity of connections discovered over time.

Acknowledgement. This work is supported by the Romanian Authority for Scientific Research under project IDEI_2596.

References

- [1] Agrawal, R., Imieliński, T., Swami, A.: Mining association rules between sets of items in large databases. In: Proceedings of the 1993 ACM SIGMOD International Conference on Management of Data, Washington, D.C, pp. 207–216 (1993)
- [2] Baraglia, R., Silvestri, F.: Dynamic personalization of web sites without user intervention. *ACM Commun.* 50(2), 63–67 (2007)
- [3] Bayir, M.A., Toroslu, I.H., Cosar, A., Fidan, G.: Smart Miner: a new framework for mining large scale web usage data. In: Proceedings of the 18th International Conference on World Wide Web, WWW 2009, pp. 161–170. ACM, New York (2009)
- [4] Catledge, L.D., Pitkow, J.E.: Characterizing browsing strategies in the World-Wide Web. *Comput. Netw. ISDN Syst.* 27(6), 1065–1073 (1995)
- [5] Ceglar, A., Roddick, J.F.: Association mining. *ACM Comput. Surv.* 38(2) (2006)
- [6] Chen, M.S., Park, J.S., Yu, P.S.: Efficient data mining for path traversal patterns. *IEEE Transactions on Knowledge and Data Engineering*, 209–221 (1998)
- [7] Cooley, R., Mobasher, B., Srivastava, J.: Data preparation for mining World Wide Web browsing patterns. *Knowledge Information Systems* 1(1), 5–32 (1999)
- [8] Ding, J., Yau, S.S.: TCOM, an innovative data structure for mining association rules among infrequent items. *Comput. Math. Appl.* 57(2), 290–301 (2009)
- [9] Mobasher, B., Cooley, R., Srivastava, J.: Automatic personalization based on Web usage mining. *ACM Commun.* 43(8), 142–151 (2000)
- [10] Perkowitz, M., Etzioni, O.: Adaptive sites: Automatically learning from user access patterns. In: Proc. of the Sixth International WWW Conference, Santa Clara, CA (1997)
- [11] Spiliopoulou, M., Mobasher, B., Berendt, B., Nakagawa, M.: A Framework for the Evaluation of Session Reconstruction Heuristics in Web-Usage Analysis. *INFORMS J. on Computing* 15(2), 171–190 (2003)

Quality in Use Model for Web Portals (QiUWeP)

Mayte Herrera, M^a Ángeles Moraga, Ismael Caballero, and Coral Calero

Alarcos Research Group, Department of Technologies and Information Systems,
University of Castilla – La Mancha,
Paseo de la Universidad 4, 13071, Ciudad Real, Spain
mayteherreranoa@gmail.com,
{MariaAngeles.Moraga, Ismael.Caballero, Coral.Calero}@uclm.es

Abstract. Web Portals are increasingly being used for important tasks, at a work, personal or leisure related issues. Since Web Portals provide with applications, services and information, their levels of quality are an important prerequisite for their success, and hence, a way to ensure that they do not disappear as a consequence of their not having been used. According to the ISO, there are various perspectives of quality: internal, external, and in use. Although issues related to external quality and internal quality have been widely studied in literature, we consider that it is also necessary to take account the importance of quality in use of web portals. This paper is aimed at defining a quality model to assess the level of quality in use of Web Portals. The model is founded on the ISO/IEC 25010 standard, and on some related works found in literature.

Keywords: web portal, quality in use, quality model, quality characteristics.

1 Introduction

Web Portals appeared in the late 1990s as a new type of Internet website architecture specifically designed to provide personalized online services [1]. The success of Web portals depends on their ability to provide accurate content and useful services specifically tailored to individual users according to their requirements [1]. Web portals offer a single point of access to a wide range of information, applications and services in a single environment [2], thus enabling and facilitating the collaboration and interaction between users [3] in such a way that all the services could be adapted to the preferences or necessities of each user [4]. Since web portals allow a suitable work environment to be created for any organization [5], companies establish and promote their web portals to complement, replace or expand their services to their customers, and may even have the intention of providing new services to new customers.

Several researchers have highlighted the importance of developing Web portals which could successfully attract new users and maintain existing ones by serving as a gateway to information and internet services [6]. One important success factor is, therefore, the need to warranty the levels of quality of the web portals as software products [7]. It is thus no longer sufficient to simply provide technically excellent web portals, but it is also necessary for them to fit the best practices and activities of their consumers [8].

As with any other kind of software product, ISO defines several perspectives with which to analyze the level of quality of a web portal: internal and external quality, which are related to the characteristics or properties of the portal, and quality in use, which is aimed at evaluating users' opinions of the portal.

Unfortunately, the relevant literature has not dealt with quality in use in web portals *in sufficient depth, despite its having been proved to be an important aspect* [1]. In the domain of the web portals specifically, if users do not feel safe when using a portal, if it is difficult for them to achieve their goals through the Web portal, or if they are not satisfied when using it, they may easily decide to use another different one and the web portal could consequently disappear. In the context of organizational web portals, workers are the final users. If the web portal does not fit their specific tasks, it could be very difficult for them to achieve their goals. Assessing the quality in use will allow web portal owners to estimate how usable a web portal might be and the user's satisfaction.

To assess quality in use, it is first necessary to define a model. The main contribution of this paper is, therefore, to define a quality in use model for web portals taking the ISO/IEC 25010 as a basis. ISO/IEC 25010 is the new standard of software product quality that is awaiting publication, and is a part of the new series of SQuaRE (Software product Quality Requirements and Evaluation) standards [9].

This paper is structured as follows. Related literature is presented and analyzed in Section 2. This section is divided into two subsections, the first of which is related to the perspectives of quality in SQuaRE, and is specifically focused on the quality in use model, and the characteristics and sub-characteristics proposed in the standard [9]. The second subsection analyzes certain works that study quality in use in web portals. In section 3 a discussion about the topics and the proposal of a model for quality in use for web portals based on ISO/IEC 25010 is presented. Finally, Section 4 shows some of our conclusions and proposed future work.

2 Related Literature

This section reviews certain concepts related to the perspective of quality in software. More specifically, we shall focus on the perspective of quality in use provided by the ISO/IEC 25010 standard. We shall also analyze how the concept of quality in use in the context of web portals has been studied in literature, along with the set of characteristics that affect quality in the use of portals.

2.1 Perspective of Quality in SQuaRE

The ISO/IEC 9126 standard [10] for software product quality has recently been superseded by the new ISO/IEC 25000 series: the Software product Quality Requirements and Evaluation (SQuaRE) set of standards [9]. According to both standards, the quality of a system can be assessed as the extent to which the system satisfies the stated and implied needs of its various stakeholders. These stated and implied needs are represented in the SQuaRE by means of different models: the software product quality model, the data quality model and the system quality in use model.

The main purpose of the software product quality model is to specify and assess the level of quality of a product through internal measures of inherent properties of the software, and through external measures of the behavior of the system of which the software is part [9].

External quality can be assessed as the result of the combination of the behavior of both the software and the computer system [8], whereas quality in use is the extent to which a product which is being used by specific users meets their needs to achieve specific goals with effectiveness, efficiency, flexibility, safety and satisfaction in specific contexts of use [9]. Quality in use therefore corresponds to users' views of the quality of a system containing software. In this respect, the perception of quality in use must be measured in terms of the result of using the software, rather than the properties of the software itself [8]. In order to make the assessment process easier, the quality in use model defined in ISO/IEC 25010 [9] defines three main characteristics: **usability, safety and flexibility**.

The characteristic of usability has been defined [9] as the extent to which a product can be used by specified users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use. The users' goals may be pragmatic (to be effective and efficient), and/or hedonic (to achieve stimulation, identification and/or evocation). The pragmatic goals are: acceptable perceived experience of use (pragmatic aspects including efficiency), acceptable perceived results of use (including effectiveness), and acceptable perceived consequences of use (including safety). The hedonic and pragmatic satisfaction in this model is achieved through likability, pleasure, comfort and trust. User performance and satisfaction is determined by qualities including attractiveness, functional suitability and ease of use [9].

The characteristic of safety has been inherited from ISO/IEC 9126-1 [10]. It is defined as the degree of expected impact of harm to people, to businesses, to data, to software, to property or to the environment in the intended contexts of use [11]. Safety could be broadly interpreted as the capability to measure the potentially negative outcomes which could be generated from incomplete or incorrect input [11]. For a consumer of a product, negative business consequences may not only be associated with poor performance, but also, for example, with the lack of pleasurable emotional reactions, or of achievement of other hedonic goals [11]. Safety has the following sub-characteristics: commercial damage, operator health and safety, public health and safety, and environmental harm.

The need to consider the context has been made explicit in the new definition of quality in use in ISO/IEC CD 25010 [11]. This is owing to the importance of considering that a product which is usable in one context of use may not be usable in another context with different users, tasks or environments. A new characteristic of flexibility has therefore been included, with the sub-characteristics of context conformity, context extendibility and accessibility [9]. Flexibility also includes aspects related to the users' ability to modify their means of interaction with other users, and the appearance of the web portals' interface to suit their individual needs and preferences [9].

The quality in use model defined by ISO/IEC 25010 is shown in Fig. 1, and a complete definition of the quality characteristics and sub-characteristics can be found in [9].




Fig. 1. Model for quality in use in ISO/IEC 25010

2.2 Quality in Use in Web Portals

As was previously mentioned, ISO/IEC 25010 is an evolution of the ISO/IEC 9126 and defines a more complete and detailed quality in use model. Nevertheless, some characteristics regarding quality in use have already been studied in previous works and will be analyzed in this section. The main aim of this section is to study how the characteristics and sub-characteristics for quality in use have been defined in recent studies. This will be done in order to adapt the quality in use model defined in ISO/IEC 25010 [9] to the context of Web portals and to complete the model proposed in this study. It is important to emphasize the fact that the quality characteristics to be analyzed are those concerning the quality in use and those that are of interest to the end users of web portals. These characteristics directly evaluate the effects on users as a result of using the portal, and the effectiveness and efficiency in carrying out their tasks using it. With this in mind, it is not the interest to this study, to analyze aspects or characteristics of the web portals themselves, as these are features of external quality.

The characteristic of Satisfaction has been considered as an element of quality for web applications in general, and has already been introduced in the area of web engineering [12]. The work presented in [6] specifically studied user satisfaction with regard to the usage of web portals. This study outlined the initial results of how a multi-criteria evaluation framework was applied to synthesize the multiple dimensions related to users' satisfaction with a web portal. In their work, the authors studied user satisfaction from the point of view of [6]:

- the *web portal content*, in terms of contained information, or when accessing external information resources.

- the *web portal design*, in terms of providing users with a pleasant, usable and stable environment,
- the *web portal personalization capabilities*, in terms of serving users' specific preferences and needs,
- the *web portal support for the formulation of virtual communities of users*, in terms of bringing together users with similar interests and needs.

WebQual[13] is an instrument for assessing characteristics such as usability, information quality, and service interaction quality. The current version of WebQual (4.0) has been renamed as E-Qual. This version is based on the analysis of the results of its previous versions complemented by an extensive discussion of the literature that supports each dimension. The main change is an increased emphasis on usability rather than site quality. The focus of attention is on user experience when using a Web Portal rather than site characteristics per se [2]. The dimensions included in E-Qual are:

- *usability*, which encompasses aspects such as navigation, appearance and general ease of use,
- *information quality*, which encompasses accuracy, timeliness, relevance, granularity and general believability of the information,
- *service interaction quality*, which encompasses service quality constructs such as security, trust, personalization and access to the organization.

Works of [1, 2, 7, 14, 15] analyzes the perceived quality of service in web portals. It is necessary to point out that this term refers to portal users' perceptions of the quality of all the information, applications and services supplied. These studies point out that ensuring that these services meet quality requirements is essential to ensure business operations and user satisfaction [2].

The works presented in [14] and in [15], both based on E-Qual, study the perceived portal quality. The factors that were confirmed in these studies are similar to those of the previous studies on which they are based, with slight differences in terminology and emphasis that will be shown as follows. It is important to specify that in some studies the term "factor" is used with the same meaning as that of "quality characteristics".

In [15] the authors carry out an empirical study of organizational portals. This proposal identifies four factors of service quality:

- *empathy*, which is similar to service interaction quality in E-Qual,
- *ease of use*, which is similar to usability in E-Qual,
- *information quality*, which maintains the same name as that used in E-Qual,
- *accessibility*, which is similar to aspects of usability and service interaction quality in E-Qual.

Similarly, in [14] a study of business-to-consumer portals in Greece identified three factors for service quality in this type of portals:

- *customer care and risk reduction benefit*, which is similar to service interaction quality in E-Qual,
- *information benefit*, which is similar to information quality in E-Qual,
- *Interaction facilitation benefit*, which is similar to usability in E-Qual, but extended by adding considerations of technical design and speed.

In [1] the authors have made a study of the perceived quality of service in a University Web portal. The authors initially based their study on E-Qual, and then added some other factors that they considered might be significant for web portal users. They therefore propose to extend their understanding of user perceived e-service quality to include *transaction quality*, and they include some additional items hypothesized from the literature. Transaction quality includes aspects of complete transactions that are useful for the portal users.

Finally, it is important to consider the study of [16]. In this work a revised list of characteristics was developed into an Internet based questionnaire for measuring user satisfaction with web sites. Questions were placed in different groups. These groups or factors were [16]:

- *Ease of use*, which is related to the ability to easily navigate through a site and find required information. Important aspects include simple, intuitive and consistent navigation,
- *Experience*, which includes the visual and personal experience of visiting the site. Issues include design, use of colors and style, along with building interest and a sense of community,
- *Information*, which is aimed at accessing content with an adequate levels of quality information. This information is appropriate for consumption by the user, and should typically be easy to read and understand, relevant, current, reliable and provided via an appropriate level of detail and format,
- *Communication and integration*, which are related to the way in which the site is integrated with the external environment and communication with the user. This includes being able to find and return to a site, integration or links with other sites, the speed and security of communication, and provision for feedback and other contact.

3 Proposal for a Quality in Use Model for Web Portals (QiUWeP)

This section provides a definition of a model for quality in use for web portals. In order to achieve this goal, and as a starting point, the quality characteristics and sub-characteristics defined in the quality in use model defined by the ISO/IEC 25010 standard [9] have been analyzed and selected.

The standard defines usability, safety and flexibility. Since all of these characteristics affect the use of web portals by final users, they were adapted to the web portal context. Some sub-characteristics defined in the standard, which will be specified later, were adapted to the contexts of web portals. However, other sub-characteristics were not included because they could be considered as not being sufficiently relevant for web portal usage. The obtained model was modified as a result of the analysis of the related existing works shown in the previous section. What follows is an analysis of the characteristics and sub-characteristics found in the quality in use model of the ISO/IEC 25010 standard and in the proposals found in literature.

The definition of the characteristic of **usability** was taken from the standard [9] and adapted to the domain of web portals. Usability has the sub-characteristics of “effectiveness”, “efficiency” and “satisfaction” as reported in the standard [9]. The effectiveness sub-characteristic is defined in terms of accuracy and completeness of the

achievement of the users’ goals. The efficiency sub-characteristic is defined in terms of the resources used by portal users as they carry out their tasks by using the portal. With regard to the satisfaction sub-characteristic, the works found that study important aspects for web portal users’ satisfaction were [1, 2, 6, 12, 15]. These works have been used as the basis to define the sub-characteristics of satisfaction. As a result of this analysis of the related literature, the sub-characteristics of satisfaction which were added to the model were: the ease with which users can perform their tasks through the portal, the users’ visual and personal experiences, the perceived interaction quality, the perceived transaction quality, and finally the sense of being in community while using a portal. These sub-characteristics will be analyzed in detail as follows.

The easier it is to use a portal, the more satisfied the users will be. This signifies that the portal should be easy to navigate, easy to learn how to operate, and it should be easy to find information/resources that users’ need. “Experience” is a sub-characteristic that includes the user’s visual and personal experience as a result of using a web portal. This sub-characteristic includes the following aspects: the effect of the design of the web portal on the users’ satisfaction, along with the perception of acceptable response times, the sense of being in control while doing their tasks, and the attractiveness and enjoyability for users. The “quality of the interactions perceived” includes aspects related to portal users’ interactions with the organization through its web portal. Some important aspects of the interaction quality are the ease of communication with the organization through its portal, and the ease of managing and integrating the roles and relationships that users have with the organization. The “perceived transaction quality” sub-characteristic has been supported by some previous studies to include aspects that assess the users’ satisfaction with a web portal as a result of completing all the transactions or operations they expect and need to achieve their goal. Another sub-characteristic of satisfaction is “sense of community”, which can be defined in terms of user satisfaction with regard to the feeling of being part of a group of users with similar interests and needs.

The definition of **safety** characteristic was borrowed from the standard [9] but renamed as security. From the perspective of final users of web portals, the sub-characteristics defined for security are, therefore, “personal security risk” and “economic damage risk”. These new sub-characteristics are being proposed for the first time in this paper, and they are part of the contribution of this work. They were identified as a result of analyzing the web portal context, and the definition of the safety characteristic and its sub-characteristics in the ISO/IEC 25010 [9] standard. The safety sub-characteristics proposed by the standard that were the basis of the new sub-characteristics defined in our proposal were: “Commercial damage” and, “Public health and safety”. Commercial damage is defined in the standard as the degree of expected impact of harm to commercial property, operations or reputation in the intended contexts of use. This could include costs of correcting erroneous output, inability to provide an acceptable service that could affect users directly, or loss of current or future sales. Public health and safety are defined according to the ISO/IEC 25010 standard [9] as being the degree of expected impact of harm to the public in the intended contexts of use. The complete definition of the security sub-characteristics will be specified in the proposal for the model below.

Flexibility, when referring to web portals, this indicates whether the portal can be used by a large number of users with different preferences or cultures, or even different

levels of disabilities. Flexibility must therefore be taken into account in the context of portals, and we therefore decided to adapt it and to add it to our proposal. "Accessibility" and "personalization" have been identified as being the sub-characteristics of flexibility. Accessibility was proposed and defined by the standard [9] as the degree of usability for users with specified disabilities. This definition was used in reference to the ISO 9241-171 definition: "the usability of a product, service, environment or facility by people with the widest range of capabilities" [17]. The personalization sub-characteristic was not defined as a sub-characteristic in the ISO/IEC 25010 standard, but is clearly mentioned in the context of use of final users, and is also supported by previous studies.

One important aspect that deserves to be mentioned is the importance of data and information quality in a web portal environment. As we have seen in the related literature, data and information quality are important prerequisites for overall quality in use [18]. People who use data originating from portals in, for example, their work need to be sure that the data has an adequate level of quality. Although the importance of data and information quality has been proven, they will not be included in this proposal owing to the fact that SQuaRE clearly differentiates between the quality of a product and the quality of the data manipulated by the software product. Moreover, the authors of [19] have defined a data quality model for web portals, denominated as SPDQM (SQuaRE Portal Data Quality Model), which is the reference that can be used to assess the level of data and information quality in a web portal.

Table 1 shows the characteristics and sub-characteristics defined in this proposal as a result of the aforementioned analysis. This table gathers together the related studies that support the identification of each of these characteristics and sub-characteristics that are part of the quality in use model for web portals.

Table 1. Characteristics and sub-characteristics supported by related literature

Quality in use for web portals characteristics and subcharacteristics								
QiUWeP		[9]	[6]	[13]	[14]	[15]	[1] [16]	
Usability	Effectiveness	x						
	Efficiency	x						
	Satisfaction	Ease of Use			x		x	x
		Experience						x
		Perceived Interaction Quality			x	x	x	x
		Perceived Transaction Quality						x
Sense of Community			x				x	
Security	Personal Security Risk	x			x			
	Economic damage risk	x			x			
Flexibility	Accessibility	x				x		
	Personalization		x					

The quality in use model for web portals proposed in this study are specified below, where all the definitions of the characteristics and sub-characteristics of the model have been defined. The quality in use model for web portals is shown in Fig. 2.

1. Usability: The extent to which a web portal can be used by specific users to achieve specified goals with effectiveness, efficiency and satisfaction in a specified context of use.
 - 1.1. Effectiveness: The degree to which the web portal can be used by the users to achieve their specific goals with accuracy and completeness in a specified context of use.
 - 1.2. Efficiency: The degree of resources consumed by web portal users in relation to the effectiveness reached in a specific context of use.
 - 1.3. Satisfaction: the web portal users' degree of satisfaction with regard to achieving their pragmatic and hedonic goals in a given context of use. These goals are related to likability, trust and pleasure.
 - 1.3.1. Ease of Use: The web portal users' degree of satisfaction in relation to being able to use the portal easily to achieve their goals. Important aspects include simple, intuitive and consistent navigation.
 - 1.3.2. Experience: The web portal users' degree of satisfaction in relation to the visual and personal experience of visiting the portal. Issues include design and style, enjoyability or entertainment, along with acceptable response times for users/clients.
 - 1.3.3. Perceived Interaction Quality: The web portal users' degree of satisfaction with regard to the experience of interacting with the organization via its web portal.
 - 1.3.4. Perceived Transaction Quality: The web portal users' degree of satisfaction with regard to being able to carry out and complete all the operations that they wish to through the web portal.
 - 1.3.5. Sense of Community: The web portal users' degree of satisfaction in relation to meeting, collaborating and communicating with other users with similar interests and needs.
2. Security: The degree, to which the web portal does not, under specified conditions, lead to a state in which the personal security of its users is endangered and economic damage is caused.
 - 2.1. Personal Security Risk: the degree of expected impact of harm to the personal security of the portal's users or clients in the intended contexts of use.
 - 2.2. Economic damage risk: the degree of expected impact of causing economic damage to the web portal users owing to insecure operations in the intended contexts of use.
3. Flexibility: the degree to which the quality in use requirements for web portals can be achieved in different contexts of use and for as many users as possible. Flexibility can be achieved by adapting the web portal to additional user groups or cultures. Flexibility enables portals to consider circumstances, opportunities and individual preferences.
 - 3.1. Accessibility: the degree of effectiveness, efficiency, safety and satisfaction, when people with the widest range of capabilities use the web portal.
 - 3.2. Personalization: the degree to which the users can modify certain aspects of the portal to suit their specific preferences and needs.




Fig. 2. Quality in use model for Web Portals

4 Conclusions and Future Work

As the contents of this paper show, the quality of web portals is worth observing and should be evaluated taking into account the different perspectives of quality. In this respect, the quality in use is the perception of the quality provided by final users, and the results of using the portal. Although some characteristics of quality in use have been studied for the context of web portals in the literature analyzed, no quality in use model is aligned with the ISO/IEC 25010 standard. In this proposal we have defined a quality in use model for web portals, based on the ISO/IEC 25010, the new standard for software product quality and quality in use. This approach takes into account the portal users' perspective and therefore aims to assess the results of use of the web portal, both from the perspective of user satisfaction, and the effectiveness and efficiency of the users while they use the web portal. Our proposal can be used to assess the quality perceived when using a web portal and achieving user's goals. This proposal takes as basis the ISO/IEC 25010 standard [9], since this is an evolution of ISO/IEC 9126, along with certain related previous studies which were taken into account in order to define the characteristics and sub-characteristics of the model that are needed to assess quality in use in the context of web portals. As part of this work we are currently defining measures of effectiveness, efficiency, security and flexibility. For these measurements, we are working on a questionnaire to assess the satisfaction of the users of a web portal. As part of our future work, the appropriateness of this model will be validated by applying it to assess the quality in use of various web portals in different context of use. This will be made using techniques of empirical validations as surveys and the analysis of the results of these evaluations will make possible refine the model if it were necessary.

Acknowledgments

This research is part of the projects PEGASO-MAGO (TIN2009-13718-C02-01), and DQNet (TIN2008-04951-E/TIN), both supported by the Spanish Ministerio de Educación y Ciencia, and TALES (HITO-2009-14), both supported by the Consejería de Educación y Ciencia of Junta de Comunidades de Castilla-La Mancha.

References

1. Tate, M., et al.: Stakeholder Expectations of Service Quality in a University Web Portal, p. 1–21 (2009)
2. Tate, M., Evermann, J., Hope, B., Barnes, S.: Perceived Service Quality in a University Web Portal: Revising the E-Qual Instrument (2007)
3. Aneja, A., Brooksby, B., Rowan, C.: Corporate portal framework for transforming content chaos on intranets. *Intel Technology Journal* 11, 21–28 (2001)
4. Ángeles Moraga, M., Calero, C., Piattini, M.: A First Proposal of a Portal Quality Model. In: IADIS International Conference (2004)
5. Collins, H.: *Corporate Portal Definitions and Features*. Amacom Books, New York (2001)
6. Manouselis, N., Sampson, D.G.: Multiple Dimensions of User Satisfaction as Quality Criteria for Web Portals. In: ICWI 2004, pp. 535–542. IADIS (2004)
7. Liu, C.-T., Du, T.C., Tsai, H.-H.: A study of the service quality of general portals. *Information & Management* 46(1), 52–56 (2009)
8. Bevan, N.: Quality in use: Meeting user needs for quality. *Journal of Systems and Software* 49, 89–96 (1999)
9. ISO/IEC CD 25010.3: Systems and software engineering – Software product Quality Requirements and Evaluation (SQuaRE) – Software product quality and system quality in use models. ISO (2009)
10. ISO/IEC 9126-1: Software engineering – Product quality - Part 1: Quality model. ISO (2001)
11. Bevan, N.: Extending Quality in Use to Provide a Framework for Usability Measurement, pp. 13–22 (2009)
12. Zhang, P., Small, R.V., Dran, G.: Websites that Satisfy Users: A Theoretical Framework for Web User Interface Design and Evaluation. In: *Proceedings of 32nd IEEE International Conference on System Sciences*, Hawaii, USA (1999)
13. WebQual home page, <http://www.webqual.co.uk/>
14. Gounaris, S., Dimitriadis, S.: Assessing service quality on the web: Evidence from business to consumer portals. *The Journal of Services Marketing* 17, 529 (2003)
15. Kuo, T., Lu, I.-Y., Huang, C., et al.: Measuring user's perceived portal service quality: An empirical study. *Total Quality Management and Business Excellence* 16, 309 (2005)
16. Barnes, S., Vidgen, R.: WebQual: An exploration of Web-site Quality. In: *Proceedings of the Eighth European Conference on Information Systems*, Vienna (2000)
17. ISO 9241-171: Ergonomics of human-system interaction – Part 171: Guidance on software accessibility. ISO (2008)
18. Wynn, M., Zhang, S.: Web Portals in SMEs - Two Case Studies. In: *Proc. of the 2008 Third International Conference on Internet and Web Applications and Service (ICIW)*. IEEE Computer Society, Los Alamitos (2008)
19. Carmen Moraga, M.M., Calero, C., Caro, A.: SQuaRE-Aligned Data Quality Model for Web Portals. In: *Ninth International Conference on Quality Software*, pp. 117–122 (2009)