



ICEIS 2008

***TENTH INTERNATIONAL CONFERENCE ON
ENTERPRISE INFORMATION SYSTEMS***

Proceedings

Databases and Information Systems Integration

BARCELONA, SPAIN – June 12-16, 2008

ORGANIZED BY



CO-SPONSORED BY



IN COOPERATION WITH



ICEIS 2008

Proceedings of the
Tenth International Conference on
Enterprise Information Systems

Volume DISI

Barcelona, Spain

June 12 – 16, 2008

Organized by
**INSTICC – Institute for Systems and Technologies of Information, Control
and Communication**

Co-sponsored by
WfMC – Workflow Management Coalition

In Cooperation with
AAAI – Association for the Advancement of Artificial Intelligence

Copyright © 2008 INSTICC – Institute for Systems and Technologies of
Information, Control and Communication
All rights reserved

Edited by José Cordeiro and Joaquim Filipe

Printed in Portugal

ISBN: 978-989-8111-36-4

Depósito Legal: 275673/08

<http://www.iceis.org>

secretariat@iceis.org

BRIEF CONTENTS

INVITED SPEAKERS.....	IV
SPECIAL SESSION CHAIRS	V
ORGANIZING AND STEERING COMMITTEES	VI
SENIOR PROGRAM COMMITTEE.....	VII
PROGRAM COMMITTEE	VIII
AUXILIARY REVIEWERS	XIII
SELECTED PAPERS BOOK	XV
FOREWORD.....	XVII
CONTENTS.....	XIX

INVITED SPEAKERS

Moira C. Norrie

ETH Zurich

Switzerland

Ricardo Baeza-Yates

VP of Yahoo! Research for Europe and LatAm

Spain and Chile

Jorge Cardoso

SAP AG

Germany

Jean-Marie Favre

University of Grenoble, LIG

France

SPECIAL SESSION CHAIRS

SPECIAL SESSION ON COMPUTATIONAL INTELLIGENCE USING AFFINITY SET

Yuh-Wen Chen, Dept. of Industrial Engineering and Management of Technology, Da-Yeh University, Taiwan

SPECIAL SESSION ON COMPUTER SUPPORTED ACTIVITY COORDINATION

José Cordeiro, Polytechnic Institute of Setúbal / INSTICC, Portugal

Joaquim Filipe, Polytechnic Institute of Setúbal / INSTICC, Portugal

ORGANIZING AND STEERING COMMITTEES

CONFERENCE CHAIR

Joaquim Filipe, Polytechnic Institute of Setúbal / INSTICC, Portugal

PROGRAM CHAIR

José Cordeiro, Polytechnic Institute of Setúbal / INSTICC, Portugal

PROCEEDINGS PRODUCTION

Paulo Brito, INSTICC, Portugal

Marina Carvalho, INSTICC, Portugal

Helder Coelhas, INSTICC, Portugal

Vera Coelho, INSTICC, Portugal

Andreia Costa, INSTICC, Portugal

Bruno Encarnação, INSTICC, Portugal

Bárbara Lima, INSTICC, Portugal

Vitor Pedrosa, INSTICC, Portugal

Vera Rosário, INSTICC, Portugal

Mónica Saramago, INSTICC, Portugal

CD-ROM PRODUCTION

Paulo Brito, INSTICC, Portugal

WEBDESIGNER

Marina Carvalho, INSTICC, Portugal

GRAPHICS PRODUCTION

Helder Coelhas, INSTICC, Portugal

SECRETARIAT AND WEBMASTER

Vitor Pedrosa, INSTICC, Portugal

SENIOR PROGRAM COMMITTEE

Luís Amaral, University of Minho, Portugal

Senén Barro, University of Santiago de Compostela, Spain

Jean Bézivin, ATLAS Group (INRIA & IRIN), University of Nantes, France

Enrique Bonsón, University of Huelva, Spain

João Alvaro Carvalho, University of Minho, Portugal

Albert Cheng, University of Houston, U.S.A.

Bernard Coulette, University of Toulouse 2, France

Jan Dietz, Delft University of Technology, The Netherlands

Virginia Dignum, Utrecht University, The Netherlands

Schahram Dustdar, Technical University of Vienna, Austria

António Figueiredo, University of Coimbra, Portugal

Ulrich Frank, ICB - University of Essen, Germany

Nuno Guimarães, University of Lisbon, Portugal

Jatinder Gupta, University of Alabama in Huntsville, U.S.A.

Dimitris Karagiannis, University of Vienna, Austria

Michel Leonard, University of Geneva, Switzerland

Kecheng Liu, University of Reading, U.K.

Pericles Loucopoulos, University of Manchester, U.K.

Andrea De Lucia, Università di Salerno, Italy

Kalle Lyytinen, Case Western Reserve University, U.S.A.

Yannis Manolopoulos, Aristotle University of Thessaloniki, Greece

José Legatheaux Martins, Faculty of Sciences and Technology, New University of Lisbon, Portugal

Masao Johannes Matsumoto, Kyushu Sangyo University, Japan

Luís Moniz Pereira, Universidade Nova de Lisboa, Portugal

Marcin Paprzycki, Systems Research Institute Polish Academy of Science, Poland

Alain Pirotte, University of Louvain, Belgium

Klaus Pohl, University of Duisburg-Essen, Germany

Matthias Rauterberg, Technical University Eindhoven, The Netherlands

Colette Rolland, University of PARIS-1, France

Narczyz Roztocki, State University of New York (SUNY) at New Paltz, U.S.A.

Abdel-Badeeh Salem, Ain Shams University, Faculty of Computer & Information Sciences, Egypt

Bernardette Sharp, Staffordshire University, U.K.

Timothy K. Shih, Tamkang University, Taiwan

Alexander Smirnov, St. Petersburg Institute for Informatics and Automation of Russian Academy of Sciences - SPIIRAS, Russian Federation

Ronald Stamper, Measur Ltd, U.K.

David Taniar, Monash University, Australia

Miguel Toro, University of Seville, Spain

Antonio Vallecillo, Universidad de Málaga, Spain

Michalis Vazirgiannis, Athens University of Economics & Business, Greece

François Vernadat, European Commission, Luxembourg

Ioannis Vlahavas, Aristotle University of Thessaloniki, Greece

Frank Wang, Cambridge-Cranfield High Performance Computing Facilities, U.K.

Merrill Warkentin, Mississippi State University, U.S.A.

Hans Weigand, Tilburg University, The Netherlands

PROGRAM COMMITTEE

Mohd Syazwan Abdullah, Universiti Utara Malaysia, Malaysia

Rama Akkiraju, IBM Research, U.S.A.

Patrick Albers, ESEO, France

Vasco Amaral, Universidade Nova de Lisboa, Portugal

Yacine Amirat, University of Paris 12, France

Andreas Andreou, University of Cyprus, Cyprus

Plamen Angelov, Lancaster University, U.K.

Pedro Antunes, DI/FCUL, Portugal

Nasreddine Aoumeur, University of Magdeburg, Germany

Gustavo Arroyo-Figueroa, Electrical Research Institute, Mexico

Wudhichai Assawinchaichote, King Mongkut's University of Technology Thonburi, Thailand

Juan Carlos Augusto, University of Ulster at Jordanstown, U.K.

Ramazan Aygun, University of Alabama in Huntsville, U.S.A.

Bart Baesens, University of Southampton, U.K.

Cecilia Baranauskas, UNICAMP - Universidade Estadual de Campinas, Brazil

Steve Barker, King's College London University, U.K.

Balbir Barn, Thames Valley University, U.K.

Daniela Barreiro Claro, UFBA-LASID-DCC, Brazil

Nick Bassiliades, Aristotle University of Thessaloniki, Greece

Remi Bastide, LIIHS-IRIT, France

Nadia Bellalem, University NANCY 2, France

Orlando Belo, University of Minho, Portugal

Hatem Ben Sta, Tunisia University, Tunisia

Sadok Ben Yahia, Faculty of Sciences of Tunis, Tunisia

Manuel F. Bertoa, University of Malaga, Spain

Peter Bertok, RMIT University, Australia

Robert Biddle, Carleton University, Canada

Oliver Bittel, HTWG Konstanz - University of Applied Sciences, Germany

Luis Borges Gouveia, University Fernando Pessoa, Portugal

Djamel Bouchaffra, Oakland University, Michigan, U.S.A.

Danielle Boulanger, University of Lyon, France

Jean-louis Boulanger, University of Technologie of Compiègne, labo HEUDIASYC UMR 6599, France

José Ângelo Braga de Vasconcelos, Universidade Fernando Pessoa, Portugal

Sjaak Brinkkemper, Utrecht University, The Netherlands

Miguel Calejo, Declarativa, Portugal

Coral Calero, University of Castilla-La Mancha, Spain

Luis M. Camarinha-Matos, New University of Lisbon / Uninova, Portugal

Olivier Camp, Ecole Supérieure d'Electronique de l'Ouest, France

Roy Campbell, University of Illinois at Urbana-Champaign, U.S.A.

Gerardo Canfora, University of Sannio, Italy

Fernando Carvalho, Universidade Federal do Ceará, Brazil

Nunzio Casalino, LUISS Guido Carli University, Italy

Jose Jesus Castro-Schez, Universidad de Castilla-La Mancha, Spain

Luca Cernuzzi, Universidad Católica, Paraguay

Maria Filomena Cerqueira de Castro Lopes, Universidade Portucalense Infante D. Henrique, Portugal

Laurent Chapelier, Fortis Banque Luxembourg, France

Cindy Chen, University of Massachusetts Lowell, U.S.A.

Jinjun Chen, Swinburne University of Technology, Australia

Abdelghani Chibani, CityPassenger, France

Henning Christiansen, Roskilde University, Denmark

Chrisment Claude, IRIT/SIG, France

Francesco Colace, Università degli Studi di Salerno, Italy

PROGRAM COMMITTEE (CONT.)

Cesar Collazos, Universidad del Cauca - FIET -
Depto Sistemas, Colombia

Jose Eduardo Corcoles, LoUISE Research Group
Castilla-La Mancha University, Spain

Antonio Corral, University of Almeria, Spain

Ulises Cortes, Technical University of Catalonia,
Spain

Sharon Cox, University of Central England, U.K.

Alfredo Cuzzocrea, University of Calabria, Italy

Mohamed Dahchour, National Institute of Posts and
Telecommunications, Morocco

Sergio de Cesare, Brunel University, U.K.

Nuno de Magalhães Ribeiro, Centro de Estudos e
Recursos Multimidiáticos (CEREM), UFP, Portugal

José-Neuman de Souza, Federal University of Ceará,
Brazil

Suash Deb, National Institute of Science &
Technology, India

Vincenzo Deufemia, Università di Salerno, Italy

Rajiv Dharaskar, Nagpur University, MIET, CSI,
India

Kamil Dimililer, Near East University, Cyprus

Gillian Dobbie, University of Auckland, New Zealand

José Javier Dolado, University of the Basque
Country, Spain

Anonio Dourado, University of Coimbra, Portugal

Juan C. Dueñas, Universidad Politécnica de Madrid,
Spain

Alan Eardley, Staffordshire University, U.K.

Hans-Dieter Ehrich, TU Braunschweig, Germany

Jean-Max Estay, Université Catholique de l'Ouest,
France

Yaniv Eytani, University of Illinois at
Urbana-Champaign, U.S.A.

Antonio Fariña, University of A Coruña, Spain

Antonio Fernández-Caballero, Universidad de
Castilla-La Mancha, Spain

Edilson Ferneda, Universidade Católica de Brasília,
Brazil

Paulo Ferreira, INESC-ID/IST - Technical University
of Lisbon, Portugal

Filomena Ferrucci, Dipartimento di Matematica e
Informatica, University of Salerno, Italy

Juan J. Flores, Universidad Michoacana, Mexico

Donal Flynn, University of Manchester, U.K.

Ana Fred, IT- IST - Technical University of Lisbon,
Portugal

Lixin Fu, University of Carolina, Greensboro, U.S.A.

Mariagrazia Fugini, Politecnico di Milano, Italy

Jose A. Gallud, University of Castilla-La Mancha,
Spain

Juan Garbajosa, Universidad Politécnica de Madrid -
Technical University of Madrid, Spain

Leonardo Garrido, Monterrey Institute of
Technology, Mexico

Peter Geczy, AIST, Japan

Marcela Genero, University of Castilla-La Mancha,
Spain

Joseph Giampapa, Carnegie Mellon University,
U.S.A.

Paolo Giorgini, University of Trento, Italy

Raúl Giráldez, School of Engineering, Pablo de
Olavide University of Seville, Spain

Pascual González, Universidad de Castilla-La
Mancha, Spain

Gustavo Gonzalez-Sanchez, University of Girona,
Spain

Robert Goodwin, Flinders University of South
Australia, Australia

Jaap Gordijn, Vrije Universiteit Amsterdam,
The Netherlands

Silvia Gordillo, LIFIA-UNLP, Argentina

Feliz Gouveia, University Fernando Pessoa / CEREM,
Portugal

Virginie Govaere, INRS, France

Maki Habib, Saga University, Japan

Sven Groppe, University of Lübeck, Institute of
Information Systems, Germany

Sissel Guttormsen Schär, University of Bern,
Switzerland

Sung Ho Ha, Kyungpook National University, Korea

Lamia Hadrich Belguith, MIRACL Laboratory,
FSEGS, University of Sfax, Tunisia

PROGRAM COMMITTEE (CONT.)

Beda Christoph Hammerschmidt, Oracle USA Corporation, U.S.A.

Abdelwahab Hamou-Lhadj, Concordia University, Canada

Thorsten Hampel, University of Paderborn, Germany

Sven Hartmann, Massey University, New Zealand

Christian Heinlein, University of Ulm, Germany

Ajantha Herath, Richard Stockton College of New Jersey, U.S.A.

Suvineetha Herath, Richard Stockton College of New Jersey, U.S.A.

Francisco Herrera, University of Granada, Spain

Colin Higgins, University of Nottingham, U.K.

Peter Higgins, Swinburne University of Technology, Australia

Wladyslaw Homenda, Warsaw University of Technology, Poland

Jun Hong, Queen's University Belfast, U.K.

Wei-Chiang Hong, Oriental Institute of Technology, Taiwan

Nguyen Hong Quang, IFI, Viet Nam

Jiankun Hu, RMIT University, Australia

Kaiyin Huang, South China Normal University, China

Joshua Ignatius, Intelligent Insights International, Malaysia

François Jacquenet, University of Saint-Etienne, France

Hamid Jahankhani, University of East London, U.K.

Arturo Jaime, Universidad del Pais Vasco, Spain

Ivan Jelinek, Czech Technical University in Prague, Czech Republic

Luis Jiménez Linares, UCLM, Spain

Paul Johannesson, Royal Institute of Technology, Sweden

Shuigeng Zhou, Fudan University, China

Michail Kalogiannakis, University Paris 5 - René Descartes, France

Nikos Karacapilidis, University of Patras, Greece

Nikitas Karanikolas, Technological Educational Institute of Athens (TEI-A), Greece

Stamatis Karnouskos, SAP Research, Germany

Hiroyuki Kawano, Nanzan University, Japan

Nicolas Kemper Valverde, Universidad Nacional Autónoma de México, Mexico

Seungjoo Kim, Sungkyunkwan University, Korea

Alexander Knapp, Ludwig-Maximilians-Universität München, Germany

John Krogstie, IDI, NTNU and SINTEF, Norway

Stan Kurkovsky, Central Connecticut State University, U.S.A.

Rob Kusters, Eindhoven University of Technology / Open University, The Netherlands

Joaquín Lasheras, University of Murcia, Spain

James P. Lawler, Pace University, U.S.A.

Chul-Hwan Lee, University of Pittsburgh, U.S.A.

Jintae Lee, Leeds School of Business at University of Colorado, Boulder, U.S.A.

Alain Leger, France Telecom R&D - Orange Labs, France

Kauko Leiviskä, University of Oulu, Finland

Carlos León de Mora, University of Sevilla, Spain

Joerg Leukel, University of Hohenheim, Germany

Hareton Leung, Hong Kong Polytechnic University, China

Xue Li, The University of Queensland, Australia

Therese Libourel, LIRMM, France

John Lim, National University of Singapore, Singapore

ZongKai Lin, Chinese Academy of Sciences, China

Matti Linna, University of Vaasa, Finland

Rune Gustavsson, Blekinge Institute of Technology, Sweden

Panos Iinos, Butler University, U.S.A.

Honghai Liu, University of Portsmouth, U.K.

Jan Ljungberg, Gothenburg University, Sweden
Stephane Loiseau, LERIA, France

João Correia Lopes, University of Porto, Portugal

Víctor López-Jaquero, LoUISE Group, University of Castilla-La Mancha, Spain

María Dolores Lozano, University of Castilla-La Mancha, Spain

PROGRAM COMMITTEE (CONT.)

Miguel R. Luaces, Universidade da Coruña, Spain

Christopher Lueg, University of Tasmania, Australia

Mark Lycett, Brunel University, U.K.

Edmundo Madeira, UNICAMP - University of Campinas, Brazil

Laurent Magnin, University of Montreal, Canada

S. Kami Makki, University of Toledo, U.S.A.

Mirko Malekovic, FOI - Zagreb University, Croatia

Nuno Mamede, IST / L2F of INESC-ID Lisboa, Portugal

João Bosco Mangueira Sobral, Universidade Federal de Santa Catarina - UFSC, Brazil

Pierre Maret, LIRIS INSA-LYON, France

Farhi Marir, London Metropolitan University, U.K.

Maria João Marques Martins, IST - Technical University of Lisbon, Portugal

Herve Martin, Grenoble University - LIG, France

Miguel Angel Martinez, Univerdad de Murcia, Spain

David Martins de Matos, L2F / INESC ID Lisboa / Instituto Superior Técnico / Tech. University of Lisbon, Portugal

Katsuhisa Maruyama, Ritsumeikan University, Japan

Hamid Mccheick, University of Quebec at Chicoutimi, Canada

Andreas Meier, University of Fribourg, Switzerland

Engelbert Mephu Nguifo, Université d'Artois - IUT de Lens, CRIL-CNRS, France

John Miller, University of Georgia, U.S.A.

Subhas Misra, State University of New York, Buffalo, U.S.A.

Sudip Misra, Yale University, U.S.A.

Michele Missikoff, IASI-CNR, Italy

Ghodrat Moghadampour, Vaasa Polytechnic, Finland

Pascal Molli, Nancy-Université, France

Francisco Montero, LoUISE Research Group, University of Castilla-La Mancha, Spain

Paula Morais, Universidade Portucalense, Portugal

Fernando Moreira, Universidade Portucalense, Portugal

Nathalie Moreno Vergara, Universidad de Málaga, Spain

Gianluca Moro, DEIS, University of Bologna, Italy

Haralambos Mouratidis, University of East London, U.K.

Pietro Murano, University of Salford, U.K.

Tomoharu Nakashima, Osaka Prefecture University, Japan

Paolo Napoletano, University of Salerno, DIIIIE, Italy

Ana Neves, knowman - Consultadoria em Gestão, Lda, Portugal

Jose Angel Olivas, Universidad de Castilla-La Mancha, Spain

Luis Olsina Santos, Universidad Nacional de La Pampa, Argentina

Peter Oriogun, London Metropolitan University, U.K.

Tansel Ozyer, TOBB ETU, Turkey

Claus Pahl, Dublin City University, Ireland

José R. Paramá, University of A Coruña, Spain

João Pascoal Faria, FEUP - Faculty of Engineering of University of Porto, Portugal

Vicente Pelechano, Universidad Politécnica de Valencia, Spain

Maria Carmen Penadés Gramaje, Technical University of Valencia, Spain

Gabriel Pereira Lopes, Universidade Nova de Lisboa, Portugal

Laurent Péridy, IMA-UCO, France

Dana Petcu, Western University of Timisoara, Romania

Robert Tolksdorf, Freie Universität Berlin, Germany

Paolo Petta, Austrian Research Institute for Artificial Intelligence, Austria

José Pires, Escola Superior de Tecnologia e Gestão / IPB, Portugal

Geert Poels, Faculty of Economics and Business Economics, Ghent University, Belgium

José Ragot, INPL/CNRS, France

PROGRAM COMMITTEE (CONT.)

Abdul Razak Rahmat, University Utara Malaysia, Malaysia

Jolita Ralyte, University of Geneva, Switzerland

Srini Ramaswamy, University of Arkansas at Little Rock, U.S.A.

Pedro Ramos, ISCTE, Portugal

Marek Reformat, University of Alberta, Canada

Hajo A. Reijers, Technische Universiteit Eindhoven, The Netherlands

Ulrich Reimer, University of Applied Sciences St. Gallen, Switzerland

Marinette Revenu, ENSICAEN, France

Yacine Rezgui, University of Salford, U.K.

Simon Richir, Presence & Innovation Lab. ENSAM Laval, France

Roland Ritsch, University of Applied Sciences St. Gallen, Switzerland

David Rivreau, Université Catholique de l'Ouest, France

Daniel Rodriguez, University of Alcalá, Spain

Pilar Rodriguez, Universidad Autónoma de Madrid, Spain

Jimena Rodriguez Arrieta, University of the Basque Country, Spain

Oscar M. Rodriguez-Elias, Universidad Autónoma de Baja California (UABC), Mexico

Jose Raul Romero, University of Cordoba, Spain

Agostinho Rosa, IST - Technical University of Lisbon, Portugal

Gustavo Rossi, LIFIA-UNLP, Argentina

Angel L. Rubio, Universidad de La Rioja, Spain

Francisco Ruiz, University of Castilla-La Mancha, Spain

Sotirios Terzis, University of Strathclyde, U.K.

Claudine Toffolon, Université du Maine - LIUM, France

Leif Peterson, The Methodist Hospital Research Institute (Houston), U.S.A.

Steeff Peters, Vrije Universiteit Amsterdam, The Netherlands

Roberto Ruiz, Pablo de Olavide University, Spain

Ángeles S. Places, University of A Coruña, Spain

Manuel Santos, Universidade do Minho, Portugal

Jurek Sasiadek, Carleton University, Canada

Daniel Schang, ESEO, France

Mareike Schoop, University of Hohenheim, Germany

Remzi Seker, UALR, U.S.A.

Isabel Seruca, Universidade Portucalense, Portugal

Jianhua Shao, Cardiff University, U.K.

Alberto Silva, INESC/IST - Technical University of Lisbon, Portugal

Maria João Silva Costa Ferreira, Universidade Portucalense - Departamento de Inovação Ciência e Tecnologia, Portugal

Spiros Sirmakessis, Technological Educational Institution of Messolongi, Greece

Hala Skaf-Molli, ECOO Team, France

Pedro Soto-Acosta, University of Murcia, Spain

Chantal Soule-Dupuy, University of Toulouse 1 - IRIT, France

Priti Srinivas Sajja, Sardar Patel University, India

Chris Stary, University of Linz, Austria

Janis Stirna, Jönköping University, Sweden

Markus Stumptner, University of South Australia, Australia

Chun-Yi Su, Concordia University, Canada

Vijayan Sugumaran, Oakland University, U.S.A.

Lily Sun, The University of Reading, U.K.

Gion K. Svedberg, Örebro University, AASS, Sweden

Ramayah T., Universiti Sains Malaysia, Malaysia

Grigorios Tsoumakas, Department of Informatics, Aristotle University of Thessaloniki, Greece

Ryszard Tadeusiewicz, AGH University of Science and Technology, Poland

Theodoros Tzouramanis, University of the Aegean, Greece

Gulden Uchyigit, Imperial College, U.K.

Athina Vakali, Aristotle University of Thessaloniki, Greece

Michael Vassilakopoulos, Alexander Technological Educational Institute of Thessaloniki, Greece

PROGRAM COMMITTEE (CONT.)

Belén Vela Sánchez, Rey Juan Carlos University, Spain

Christine Verdier, LIG - University Joseph Fourier Grenoble, France

Maria-Amparo Vila, University of Granada, Spain

HO Tuong Vinh, Institut de la Francophonie pour l'Informatique (IFI), Viet Nam

Aurora Vizcaino, Escuela Superior de Informática, Spain

Bing Wang, University of Hull, U.K.

Gerhard Weiss, SCCH, Austria

Graham Winstanley, University of Brighton, U.K.

Claus Witfelt, ITU, Denmark

Wita Wojtkowski, Boise State University, U.S.A.

Robert Wrembel, Poznan University of Technology, Poland

Baowen Xu, Southeast University, China

Haiping Xu, University of Massachusetts Dartmouth, U.S.A.

Hongji Yang, De Montfort University, U.K.

Lili Yang, Loughborough University, U.K.

Jasmine Yeap, Intelligent Insights International, Malaysia

Kokou Yetongnon, University of Bourgogne, France

Jun Zhang, SUN Yat-sen University, China

Liping Zhao, The University of Manchester, U.K.

Hans Weghorn, University of Cooperative Education, Stuttgart, Germany

AUXILIARY REVIEWERS

Antonia Albani, Delft University of Technology, The Netherlands

Francisco Martínez Alvarez, Pablo de Olavide University, Seville, Spain

Simona Barresi, Salford University, U.K.

Bruno Barroca, UNL, Portugal

Christos Berberidis, Aristotle University of Thessaloniki, Greece

Beatriz Pontes Balanza, University of Seville, Spain

Félix Biscarri, University of Seville, Spain

Valeria de Castro, Rey Juan Carlos University, Spain

José María Caveró, Rey Juan Carlos University, Spain

Max Chevalier, University of Toulouse 3, IRIT, France

Evandro de Barros Costa, Universidade Federal de Alagoas, Brazil

Stergiou Costas, University of the Aegean, Greece

Guillermo Covella, UNLPam, Argentina

Andrea Delgado, Universidad de la República, Uruguay

Manuel Fernández Delgado, Universidade de Santiago de Compostela, Spain

Yuhui Deng, EMC Research, China

Remco Dijkman, Eindhoven University of Technology, The Netherlands

Vincent Dubois, CRIL - CNRS, IUT de Lens, France

Beatrice Duval, LERIA, University Angers, France

Fausto Fasano, Università di Salerno, Italy

Paulo Félix, Universidade de Santiago de Compostela, Spain

Oscar Pedreira Fernández, University of A Coruña, Spain

David Ferreira, INESC, Portugal

Rita Francese, Università di Salerno, Italy

Vittorio Fuccella, University of Salerno, Italy

David Heise, University Duisburg-Essen, Germany

Na Helian, Hertfordshire University, U.K.

AUXILIARY REVIEWERS (CONT.)

Andi Iskandar, Kyushuu Sangyo University, Japan

Nitin Kanaskar, UALR, Little Rock, U.S.A.

R. B. Lenin, UALR, Little Rock, U.S.A.

Oriana Licchelli, ESEO, France

Fernanda Lima, Universidade Católica de Brasília, Brazil

Marcos López, Rey Juan Carlos University, Spain

Luiz Mauricio Martins, University of Coimbra, Portugal

Shamila Makki, Florida International University, U.S.A.

Philip Mayer, Ludwig-Maximilians-Universität München, Germany

Bernado Mello, Embrapa, Brazil

Germana Menezes da Nóbrega, Universidade Católica de Brasília, Brazil

Iñigo Monedero, University of Seville, Spain

Gabriele Monti, DEIS University of Bologna, Cesena, Italy

Diego Seco Naveiras, University of A Coruña, Spain

Rocco Oliveto, Università di Salerno, Italy

Efi Papatheocharous, University of Cyprus, Cyprus

Ignazio Passero, Università di Salerno, Italy

Manuel Lama Penín, Universidade de Santiago de Compostela, Spain

Hércules Antonio do Prado, Embrapa & Universidade Católica de Brasília, Brazil

Franck Ravat, University of Toulouse 1, IRIT, France

Michele Risi, University of Salerno, Italy

K. Sauvagnat, IRIT/SIG, France

João Saraiva, INESC, Portugal

Carlos Senna, University of Campinas, Brazil

Ivo dos Santos, University of Campinas, Brazil

Ernst Sikora, SSE, University Duisburg-Essen, Germany

Renate Strazdina, Riga Technical University, Latvia

Xosé Antón Vila Sobrino, Universidade de Vigo, Spain

Anastasis Sofokleous, University of Cyprus, Cyprus

Sithu D. Sudarsan, UALR, Little Rock, U.S.A.

Jonas Sprenger, University Duisburg-Essen, Germany

Mehdi Snene, University of Geneva, Switzerland

Giuseppe Scanniello, Università della Basilicata, Italy

Constantinos Stylianou, University of Cyprus, Cyprus

Guilaine Talens, University of Lyon, France

Christer Thörn, Jönköping University, Sweden

Athanasios Tsadiras, Alexander Technological Educational Institute of Thessaloniki, Greece

S. Vimalathithan, UALR, Little Rock, U.S.A.

Zhiming Wang, University of Georgia, U.S.A.

Sining Wu, Cranfield University, U.K.

Kenji Yoshigoe, UALR, Little Rock, U.S.A.

Johannes Zaha, University of Duisburg-Essen, Germany

Chuanlei Zhang, UALR, Little Rock, U.S.A.

Johannes Zaha, SSE, University Duisburg-Essen, Germany

SELECTED PAPERS BOOK

A number of selected papers presented at ICEIS 2008 will be published by Springer-Verlag in a LNBIP Series book. This selection will be done by the Conference Chair and Program Chair, among the papers actually presented at the conference, based on a rigorous review by the ICEIS 2008 program committee members.

FOREWORD

This volume contains the proceedings of the Tenth International Conference on Enterprise Information Systems (ICEIS 2008), organized by the Institute for Systems and Technologies of Information Control and Communication (INSTICC) in cooperation with the Association for Advancement of Artificial Intelligence (AAAI) and co-sponsored by the Workflow Management Coalition (WfMC).

ICEIS 2008, held in Barcelona, Spain, culminates a series of ten successful ICEIS editions, clearly showing that this is a world class event which has become a major point of contact between research scientists, engineers and practitioners in the area of business applications of information systems. This year, five simultaneous tracks were held, covering different aspects related to enterprise computing, including: “Databases and Information Systems Integration”, “Artificial Intelligence and Decision Support Systems”, “Information Systems Analysis and Specification”, “Software Agents and Internet Computing” and “Human-Computer Interaction”. All tracks describe research work that is often oriented towards real world applications and highlight the benefits of Information Systems and Technology for industry and services, thus making a bridge between the Academia and the Enterprise worlds.

Following the trend of previous editions, ICEIS 2008 also had a number of satellite workshops, related to the field of the conference. This year we collaborated in the organization of the following ten international workshops: 8th International Workshop on Pattern Recognition in Information Systems; 6th International Workshop on Modelling, Simulation, Verification and Validation of Enterprise Information Systems; 6th International Workshop on Security In Information Systems; 5th International Workshop on Natural Language Processing and Cognitive Science; 2nd International Workshop on RFID Technology - Concepts, Applications, Challenges; 2nd International Workshop on Human Resource Information Systems; and .the joint workshops: 5th International Workshop on Ubiquitous Computing; 4th International Workshop on Model-Driven Enterprise Information Systems; and 3rd International Workshop on Technologies for Context-Aware Business Process Management.

ICEIS 2008 received 665 paper submissions from more than 40 countries in all continents. 62 papers were published and presented as full papers, i.e. completed work (8 pages/30’ oral presentation), 183 papers reflecting work-in-progress or position papers were accepted for short presentation, and another 161 contributions were scheduled for poster presentation.

These numbers, leading to a “full-paper” acceptance ratio below 10%, and a total acceptance ratio below 61%, show the intention of preserving a high quality forum for the next editions of this conference. Additionally, as usual in the ICEIS conference series, a number of invited talks, presented by internationally recognized specialists in different areas, have positively contributed to reinforce the overall quality of the Conference and to provide a deeper understanding of the Enterprise Information Systems field.

A book of Selected Papers will be published, following the conference, by Springer-Verlag in the newly created series "Lecture Notes in Business Information Processing" (LNBIP). This series brings the successful LNCS approach to areas such as business information systems, e-business, B2B integration, Enterprise applications and industrial software development.

The program for this conference required the dedicated effort of many people. Firstly, we must thank the authors, whose research and development efforts are recorded here. Secondly, we thank the members of the program committee and the additional reviewers for their diligence and expert reviewing. Thirdly, we thank the invited speakers for their invaluable contribution and for taking the time to synthesise and prepare their talks. Fourthly, we thank the workshop chairs and the special session chairs whose collaboration with ICEIS was much appreciated. Finally, special thanks to all the members of the local organising committee, especially Jorge Cardoso, whose collaboration was fundamental for the success of this conference.

This year, the organization will distribute two awards to papers presented at the conference: the best paper award and the best student paper award, mainly based on the classifications provided by the Program Committee members.

We wish you all an exciting conference and an unforgettable stay in Barcelona. We hope to meet you again next year for the 11th ICEIS, to be held in Milan - Italy, details of which are available at <http://www.iceis.org>.

Joaquim Filipe

I.P.Setúbal/ INSTICC, Portugal

José Cordeiro

I.P.Setúbal/INSTICC, Portugal

CONTENTS

INVITED SPEAKERS

KEYNOTE LECTURES

THE LINK BETWEEN PAPER AND INFORMATION SYSTEMS <i>Maira C. Norrie</i>	IS-5
TOWARDS A DISTRIBUTED SEARCH ENGINE <i>Ricardo Baeza-Yates</i>	IS-13
SERVICE ENGINEERING FOR FUTURE BUSINESS VALUE NETWORKS <i>Jorge Cardoso</i>	IS-15
FROM STONE AGE TO INFORMATION AGE: (SOFTWARE) LANGUAGES THROUGH THE AGES <i>Jean-Marie Favre</i>	IS-21

DATABASES AND INFORMATION SYSTEMS INTEGRATION

FULL PAPERS

EMBEDDING XPATH QUERIES INTO SPARQL QUERIES <i>Matthias Droop, Markus Flarer, Jinghua Groppe, Sven Groppe, Volker Linnemann, Jakob Pinggera, Florian Santner, Michael Seibler, Felix Schöpf, Hannes Staffler and Stefan Zugal</i>	5
ODDI - A Framework for Semi-automatic Data Integration <i>Paolo Ceravolo, Ernesto Damiani, Marcello Leida, Zhan Cui and Alex Gusmini</i>	15
AN INTEGRATED MODEL FOR MANAGERIAL AND PRODUCTIVE ACTIVITIES IN SOFTWARE DEVELOPMENT <i>Daniel Antonio Callegari, Mauricio Covolan Rosito, Marcelo Blois Ribeiro and Ricardo Melo Bastos</i>	25
INTEROPERABILITY IN THE PETROLEUM INDUSTRY <i>Jon Atle Gulla</i>	33
TOWARDS A SEMIOTIC QUALITY FRAMEWORK OF SOFTWARE MEASURES <i>Erki Eessaar</i>	41
ADAPTATIVE MATCHING OF DATABASE WEB SERVICES EXPORT SCHEMAS <i>Daniela F. Brauner, Alexandre Gazola, Marco A. Casanova and Karin K. Breitman</i>	49
SIZE AND EFFORT-BASED COMPUTATIONAL MODELS FOR SOFTWARE COST PREDICTION <i>Efi Papatheocharous and Andreas S. Andreou</i>	57
A MAPPING-DRIVEN APPROACH FOR SQL/XML VIEW MAINTENANCE <i>Vânia M. P. Vidal, Fernando C. Lemos, Valdiana S. Araújo and Marco A. Casanova</i>	65
LANGUAGE EXTENSIONS FOR THE AUTOMATION OF DATABASE SCHEMA EVOLUTION <i>George Papastefanatos, Panos Vassiliadis, Alkis Simitsis, Konstantinos Aggitalis, Fotini Pechlivani and Yannis Vassiliou</i>	74

SHORT PAPERS

CONCEPTUAL FRAMEWORK FOR XML SCHEMA MAPPING <i>Myriam Lamolle, Amar Zerdaqi and Ludovic Menet</i>	85
IMPLEMENTATION OF ALGEBRA FOR QUERYING WEB DATA SOURCES <i>Iztok Savnik</i>	91
NETWORK EXTERNALITIES FOR ENTERPRISE RESOURCE PLANNING SOFTWARE - A Research Roadmap <i>Georg Peters, Florian Thoma and Richard Weber</i>	97
A LOCKING PROTOCOL FOR DOM API ON XML DOCUMENTS <i>Yin-Fu Huang and Mu-Liang Guo</i>	105
AN IMPLEMENTATION OF XML DATA INTEGRATION <i>Weidong Pan, Jixue Liu and Jiasben Tian</i>	111
SOFTWARE MEASUREMENT BY USING QVT TRANSFORMATIONS IN AN MDA CONTEXT <i>Beatriz Mora, Félix García, Francisco Ruiz, Mario Piattini, Artur Boronat, Abel Gómez, José A. Carsí and Isidro Ramos</i>	117
DYNAMIC SEMI-MARKOVIAN WORKLOAD MODELING <i>Nima Sharifimehr and Samira Sadaoui</i>	125
MODEL-DRIVEN GENERATION AND OPTIMIZATION OF COMPLEX INTEGRATION PROCESSES <i>Matthias Boehm, Uwe Wloka, Dirk Habich and Wolfgang Lebner</i>	131
MESSAGE INDEXING FOR DOCUMENT-ORIENTED INTEGRATION PROCESSES <i>Matthias Boehm, Uwe Wloka, Dirk Habich and Wolfgang Lebner</i>	137
EMPIRICAL STUDY OF ERP SYSTEMS IMPLEMENTATION COSTS IN SWISS SMES <i>Catherine Equey, Rob J. Kusters, Sacha Varone and Nicolas Montandon</i>	143
DISCOVERING VEILED UNSATISFIABLE XPATH QUERIES <i>Jinghua Groppe and Volker Linnemann</i>	149
IMPROVING SOFTWARE TEST STRATEGY WITH A METHOD TO SPECIFY TEST CASES (MSTC) <i>Edumilis Méndez, María Pérez and Luis E. Mendoza</i>	159
ARCHITECTURE FOR END USER-DRIVEN COMPOSITION OF UNDERSPECIFIED, HUMAN-CENTRIC BUSINESS PROCESSES <i>Todor Stoitsev, Stefan Scheidl, Felix Flentge and Max Mühlhäuser</i>	165
TREE EMBEDDING AND XML QUERY EVALUATION <i>Yangjun Chen</i>	173
A FRAMEWORK TO SUPPORT INTEROPERABILITY AND MULTI-CHANNEL DELIVERY AMONG HETEROGENEOUS SYSTEMS: TRAME PROJECT <i>Ugo Barchetti, Alberto Bucciero, Luca Mainetti and Stefano Santo Sabato</i>	179
SEMANTIC DATA INTEGRATION FOR PROCESS ENGINEERING DESIGN DATA <i>Andreas Wiesner, Jan Morbach and Wolfgang Marquardt</i>	190
ERP IMPACT ON NUMBER OF EMPLOYEES AND PERSONNEL COSTS IN SMALL AND MEDIUM SIZED ENTERPRISES - A Panel Data Approach <i>Jose Esteves Sousa and Victor Boborquez Lopez</i>	196

MEASURING CRITICAL SUCCESS FACTORS IN ERP PROJECTS - Results from a Case Study in a SME <i>Jos J. M. Trienekens and Pedro van Grinsven</i>	203
TOWARDS A CLOSED-LOOP BUSINESS INTELLIGENCE FRAMEWORK <i>Oscar Mangisengi and Ngoc Thanh Huynh</i>	210
VALUE-BASED SOFTWARE PROJECT MANAGEMENT - A Business Perspective on Software Projects <i>Anderson Itaborahy, Kátia Marçal de Oliveira and Rildo Ribeiro dos Santos</i>	218
INTRA-ORGANISATIONAL ERP LIFECYCLE KNOWLEDGE ISSUES <i>Greg Timbrell</i>	226
TOWARDS THE NEXT GENERATION OF SERVICE-ORIENTED FLEXIBLE COLLABORATIVE SYSTEMS - A Basic Framework Applied to Medical Research <i>Jonas Schulte, Thorsten Hampel, Konrad Stark, Johann Eder and Erich Schikuta</i>	232
MIGRATION BETWEEN CONTENT MANAGEMENT SYSTEMS - Exploiting the JSR-170 Content Repository Standard <i>Michael Nebeling, Grace Rumantir and Lindsay Smith</i>	240
A VISUAL SPECIFICATION TOOL FOR EVENT-CONDITION-ACTION RULES SUPPORTING WEB-BASED DISTRIBUTED SYSTEM <i>Wei Liu, Ying Qiao, Xiang Li, Kang Zhong, Hongan Wang and Guozhong Dai</i>	246
GATHERING PRODUCT DATA FROM SMART PRODUCTS <i>Jan Nyman, Kary Främling and Vincent Michel</i>	252
DATA MANAGEMENT AND INTEGRATION WITHIN COLLABORATIVE WORKING ENVIRONMENTS <i>Assel Matthias and Kipp Alexander</i>	258
A FRAMEWORK FOR PROTECTING EJB APPLICATIONS FROM MALICIOUS COMPONENTS <i>Hieu Vo and Masato Suzuki</i>	264
CONFIGURATION FRAGMENTS AS THE DNA OF SYSTEM AND CHANGE PROPERTIES - Architectural Change of Component-based and Service-oriented Systems <i>D'Arny Walsb</i>	270
DeVisa - Concepts and Architecture of a Data Mining Models Scoring and Management Web System <i>Diana Gorea</i>	276
HESITANCY IN COMMITTING TO LARGE-SCALE ENTERPRISE SYSTEMS SOLUTIONS - Experiences at a Multi-national Corporation <i>Chris Barry and Wojtek Sikorski</i>	282
AN APPROACH FOR SCHEMA VERSIONING IN MULTI-TEMPORAL XML DATABASES <i>Zoubaier Brahmia and Rafik Bouaziz</i>	290
A METHODOLOGICAL APPROACH FOR MEASURING B2B INTEGRATION READINESS OF SMES <i>Spiros Mouzakitis, Aikaterini-Maria Sourouni, Fenareti Lampathaki and John Psarras</i>	298
WWW++ - Adding Why to What, When and Where <i>Paris Pennesi, Mark Harrison, Chaithanya Rao, Chien Yaw Wong and Srilakshmi Sivala</i>	304
AN ONTOLOGY-BASED APPROACH FOR SEMANTIC INTEROPERABILITY IN P2P SYSTEMS <i>Deise de Brum Saccol, Rodrigo Perozgo Noll, Nina Edelweiss and Renata de Matos Galante</i>	310

MULTI-DIMENSIONAL MODELING - Formal Specification and Verification of the Hierarchy Concept <i>Ali Salem, Faiza Gbozzji and Hanene Ben-Abdallah</i>	317
SCHEMA EVOLUTION IN WIKIPEDIA - Toward a Web Information System Benchmark <i>Carlo A. Curino, Hyun J. Moon, Letizia Tanca and Carlo Zaniolo</i>	323
TOWARDS A METHODOLOGY FOR MODELLING INTEROPERABILITY BETWEEN COLLABORATING ENTERPRISES <i>Anders Carstensen, Kurt Sandkubbl and Lennart Holmberg</i>	333
A STUDY OF THE SPATIAL REPRESENTATION IN MULTIDIMENSIONAL MODELS <i>Concepción M. Gascuña and Rafael Guadalupe</i>	339
TOWARDS A METHOD FOR ENTERPRISE INFORMATION SYSTEMS INTEGRATION <i>Rafael Silveira, Joan Pastor and Enric Mayol</i>	349
STUDY OF CHALLENGES AND TECHNIQUES IN LARGE SCALE MATCHING <i>Sana Sellami, Aicha-Nabila Benbarkat, Youssef Amghar and Rami Rifaiieb</i>	355
CONCEPTUAL UNIVERSAL DATABASE LANGUAGE (CUDL) AND ENTERPRISE MEDICAL INFORMATION SYSTEMS <i>Nikitas N. Karanikolas, Christos Skourlas, Maria Nitsiou and Emmanuel J. Yannakoudakis</i>	362
TRANSACTIONAL SUPPORT IN NATIVE XML DATABASES <i>Theo Härder, Sebastian Bächle and Christian Matbis</i>	368
A STORE OF JAVA OBJECTS ON A MULTICOMPUTER <i>Mariusz Bedla and Krzysztof Sapiecha</i>	374
SUCCINCT ACCESS CONTROL POLICIES FOR PUBLISHED XML DATASETS <i>Tomasz Müldner, Jan Krzysztof Miziołek and Gregory Leighton</i>	380
 POSTERS	
DATA INTEGRATION IN BIOLOGICAL MODELS <i>P. Mariño, F. P. Fontán, M. A. Domínguez and S. Otero</i>	389
DEVELOPING THE SKILLS NEEDED FOR REQUIREMENT ELICITATION IN GLOBAL SOFTWARE DEVELOPMENT <i>Miguel Romero, Aurora Vizcaino and Mario Piattini</i>	393
A PROPOSAL OF SOFTWARE ARCHITECTURE FOR MULTIPLATFORM ENVIRONMENT APPLICATIONS DEVELOPMENT - A Quantitative Study <i>André Luiz de Oliveira, André Luis Andrade Menolli and Ricardo Gonçalves Coelho</i>	397
RESOURCE AGGREGATION IN DIGITAL LIBRARIES - Static vs Dynamic Protocols <i>Pedro Almeida, Marco Fernandes, Joaquim Arnaldo Martins and Joaquim Sousa Pinto</i>	405
SQS - A SECURE XML QUERYING SYSTEM <i>Wei Li and Cindy Chen</i>	413
A MEDICAL INFORMATION SYSTEM BASED ON ORACLE TECHNOLOGIES <i>Liana Stanescu, Dumitru Dan Burdescu, Cosmin Stoica Spabiu, Anca Ion and Cristian Guran</i>	417
A GENERATIVE APPROACH TO IMPROVE THE ABSTRACTION LEVEL TO BUILD APPLICATIONS BASED ON THE NOTIFICATION OF CHANGES IN DATABASES <i>J. R. Coz, R. Heradio Gil, J. A. Cerrada Somolinos and J. C. López Ruiz</i>	421

ERP TRENDS - Mobile Applications and Portal <i>Octavian Dospinescu, Doina Fotache, Bogdanel Adrian Munteanu and Luminița Hurbean</i>	425
INTEGRATING LABOR SKILLS CERTIFICATION WITH TRADITIONAL TRAINING FOR ELECTRIC POWER OPERATORS <i>R. Molina, I. Paredes, M. Domínguez, L. Argotte and N. Jácome</i>	429
A SOFTWARE ARCHITECTURE FOR KNOWLEDGE DISCOVERY IN DATABASE <i>Maria Madalena Dias, Lúcio Gerónimo Valentim and José Rafael Carvalho</i>	433
DISTRIBUTED SYSTEM FOR DISCOVERING SIMILAR DOCUMENTS - From a Relational Database to the Custom-Developed Parallel Solution <i>Jan Kasprzak, Michal Brandejs, Miroslav Křípač and Pavel Šmerk</i>	437
A STUDY OF DATA QUALITY ISSUES IN MOBILE TELECOM OPERATORS <i>Naiem Khodabandbloo Yeganeb and Shazia Sadiq</i>	441
OUTLINING VALUE ASSESSMENT FOR SOFTWARE REQUIREMENTS <i>Pasi Ojala</i>	445
GUI GENERATION BASED ON LANGUAGE EXTENSIONS - A Model to Generate GUI, based on Source Code with Custom Attributes <i>Marco Monteiro, Paula Oliveira and Ramiro Gonçalves</i>	449
A NOVEL APPROACH TO SUPPORT CHANGE IMPACT ANALYSIS IN THE MAINTENANCE OF SOFTWARE SYSTEMS <i>Guenther Pirklbauer and Michael Rappl</i>	453
A GOAL METHOD FOR CONCEPTUAL DATA WAREHOUSE DESIGN <i>Leopoldo Zepeda, Ramon Zatarain and Matilde Celma</i>	457
DESIGNING XML PIVOT MODELS FOR MASTER DATA INTEGRATION VIA UML PROFILE <i>Ludovic Menet and Myriam Lamolle</i>	461
SEMANTIC INTEROPERABILITY - Information Integration by using Ontology Mapping in Industrial Environment <i>Irina Peltomaa, Heli Helaakoski and Juha Tuikkanen</i>	465
A METADATA MODEL FOR KNOWLEDGE DISCOVERY IN DATABASE <i>José Rafael Carvalho and Maria Madalena Dias</i>	469
A FRAMEWORK FOR DATA CLEANING IN DATA WAREHOUSES <i>Taoxin Peng</i>	473
ITERATIVE XML SEARCH BASED ON DATA AND ASSOCIATED SEMANTICS <i>Alda Lopes Gañçarski, Pedro Rangel Henriques and Flávio Xavier Ferreira</i>	479
COMPLEX EVENT PROCESSING FOR SENSOR BASED DATA AUDITING <i>Christian Lettner, Christian Hawel, Thomas Steinmaurer and Dirk Drabeim</i>	485
KNOWLEDGE MANAGEMENT IN INFORMATION SYSTEM DESIGN AND DELIVERY PROCESS - An Application to the Design of a Legal Information System <i>Ovidiu Vasutiu, Youssef Amghar, David Jouve and Jean-Marie Pinon</i>	492
USING ONTOLOGY META DATA FOR DATA WAREHOUSING <i>Alberto Salguero, Francisco Araque and Cecilia Delgado</i>	497

A PROTOCOL TO CONTROL REPLICATION IN DISTRIBUTED REAL-TIME DATABASE SYSTEMS <i>Anis Haj Said, Bruno Sadeg, Laurent Amanton and Béchir Ayeb</i>	501
ERP IMPLEMENTATION CHALLENGES - Vendors' Perspective <i>Jim Odbiambo Otieno</i>	505
USING A DATAWAREHOUSE TO EXTRACT KNOWLEDGE FROM ROBOCUP TEAMS <i>Isabel Gonzalez, Pedro Abreu and Luis Paulo Reis</i>	511
THE MOTION PICTURE PARADIGM FOR MANAGING INFORMATION - A Framework and Approach to Supporting the Play and Replay of Information in Computerised Information Systems <i>Bing Wu, Kudakwashe Dube and Essam Mansour</i>	515
SODDA – A SERVICE-ORIENTED DISTRIBUTED DATABASE ARCHITECTURE <i>Breno Mansur Rabelo and Clodoveu Augusto Davis Jr.</i>	519
IMPLEMENTING THE DATA ACCESS OBJECT PATTERN USING ASPECTJ <i>André Luiz de Oliveira, André Luis Andrade Menolli and Ricardo Gonçalves Coelho</i>	523
K-MEANS BASED APPROACH FOR OLAP DIMENSION UPDATES <i>Fadila Bentayeb</i>	531
GREEN COMPUTING - A Case for Data Caching and Flash Disks? <i>Karsten Schmidt, Theo Härder, Joachim Klein and Steffen Reithermann</i>	535
SCHEMA MAPPING FOR RDBMS <i>Calin-Adrian Comes, Ioan Ovidiu Spatacean, Daniel Stefan, Beatrice Stefan, Lucian-Dorel Savu, Vasile Paul Bresfelean and Nicolae Gbisoiu</i>	541
AUTHOR INDEX	545

SOFTWARE MEASUREMENT BY USING QVT TRANSFORMATIONS IN AN MDA CONTEXT

Beatriz Mora, Félix García, Francisco Ruiz, Mario Piattini

*Department of Information Technologies & Systems, University of Castilla-La Mancha, Ciudad Real, Spain
{Beatriz.Mora, Felix.Garcia, Francisco.RuizG, Mario.Piattini}@uclm.es*

Artur Boronat, Abel Gómez, José Á. Carsí, Isidro Ramos

*Department of Information Systems and Computation Polytechnic University of Valencia, Valencia, Spain
{aboronat, agomez, pcarsi, iramos}@dsic.upv.es*

Keywords: Measurement, Model, FMESP, MDA, QVT, SMF.

Abstract: At present the objective of obtaining quality software products has led to the necessity of carrying out good software processes management in which measurement is a fundamental factor. Due to the great diversity of entities involved in software measurement, a consistent framework is necessary to integrate the different entities in the measurement process. In this work a Software Measurement Framework (SMF) is presented to measure any type of software entity. In this framework, any software entity in any domain could be measured with a common Software Measurement metamodel and QVT transformations. This work explains the three fundamental elements of the Software Measurement Framework (conceptual architecture, technological aspects and method). These elements have all been adapted to the MDE paradigm and to MDA technology, taking advantage of their benefits within the field of software measurement. Furthermore an example which illustrates the framework's application to a concrete domain is furthermore shown.

1 INTRODUCTION

The current necessity of the software industry to improve its competitiveness forces continuous process improvement. This must be obtained through successful process management (Florac, et al., 2000). Measurement is an important factor in the process life cycle due to the fact that it controls issues and lacks during software maintenance and development. In fact, measurement has become a fundamental aspect of Software Engineering (Fenton, et al., 1997).

Software Processes constitute the work base in a software organization. Companies therefore wish to carry out an effective and consistent software measurement to facilitate and promote continuous process improvement. To do this, a discipline for data analysis and measurement (Brown, et al., 2004), and measure definition, compilation and analysis in the process, projects and software products, is needed.

The great diversity in the kinds of entities which are candidates for measurement in the context of the software processes points to the importance of

providing the means through which to define measurement models in companies in an integrated and consistent way. This involves providing companies with a suitable and consistent reference for the definition of their software measurement models along with the necessary technological support to integrate the measurement of the different kinds of entities.

With the objective of satisfying the exposed necessities, it is highly interesting to consider the MDE (Model-Driven Engineering) paradigm (Bézivin, et al., 2005) in which software measurement models (SMM) are the principal elements of the measurement process. Its main goal is to ensure that the core artifacts in software engineering processes will be models rather than code, so that designs are expressed and managed in the manner of models with a much higher level of abstraction than the code. MDA (Model-Driven Architecture) is the OMG proposal by which to carry out the MDE Paradigm. The core of MDA is a set of standards (MOF, QVT, OCL and XMI).

According to the QVT standard, the software development process is a set of model

transformations, from an abstract to a specific level. The requirements are in the more abstract level and the code is in the more specific level.

Software measurement can benefit from the MDE paradigm, providing integration and support to carry out an automatic software measurement of any software type. This implies that: a) the definition of measurement models conform to a Software Measurement metamodel; b) the definition of generic measurement methods are applicable to any model-based software artifact; and c) support for computing measures, for storing results and for enhancing decision making.

These aspects constitute the main interest of this paper, in which the application of MDA principles, standards and tools are used in software measurement. The goal of this proposal is to develop a generic framework to define measurement models which conform to a common measurement metamodel, and to measure any software entity with regard to a domain metamodel. In order to develop this proposal, MOMENT environment has been used, which supports the automatic model management MDA compliant.

Publications of García, Bertoa, et al. (2006); García, Piattini, et al. (2006); and García, et al. (2007) were used as a starting point for this work. These works present FMESP, which consists of a framework based on MOF Architecture. This includes a software measurement ontology and metamodel, and the GenMETRIC tool which is used to define software measurement models, and to calculate defined measures for these models. The ontology permits the identification of all the concepts, proportions exact definitions for all the terms and clarifies the relationship between them. This paper presents an adaptation of FMESP to MDA, which is described in detail in following sections.

The remainder of the paper is organized as follows. Section 2 provides an overview of related works and Section 3 describes the Software Measurement Framework (SMF), including conceptual architecture, technological aspects, and method. In Section 4 the use of the framework is illustrated with an example. Finally, conclusions and future works are outlined in Section 5.

2 RELATED WORKS

We have found numerous publications which deal with tools that have important success factors in software measurement efforts (Komi-Sirviö, et al., 2001), which supply work environments and general

approximations (Kempkens, et al., 2000), or which give architectures more specific solutions (Jokikyyny, et al., 1999). Brown, et al. (2004) include a list of tools which support the creation, control and analysis of software measurements. Auer, et al. (2003) furthermore examine various software measurement tools, such as MetricFlame, MetricCenter, Estimate Professional, CostXPert and ProjectConsole, in heterogenic environments.

It is also possible to find certain proposals through which to tackle software measurement which are more integrated and less specific than in the aforementioned cases. Palza, et al. (2003) propose the MMR tool which is based on the CMMI model for the evolution of software processes, and it is possible to consult similar tools of Harrison, (2004); Lavazza, et al. (2005); and Scotto, et al. (2004). These proposals are, however, restricted to concrete domains or to evaluation models of specific quality.

Vépa, et al. (2006) present a metamodel which allows the storage of measurement data, and a set of transformations through which to carry out the measurement of models based on a metamodel is presented. This paper focuses upon the technological aspects needed to implement the software measurement with ATL technology, by offering the user a variety of graphic representations of the measurement results obtained.

This final proposal and that which is presented here are complementary as they both focus upon two key support elements of generic measurement: the conceptual base, which is the main contribution of FMESP, and technological implementation. Some differences from technological point of view exist.

The measurements which are applied in the work of Vépa, et al. (2006) are previously defined in the ATL transformation archives. The measurable entities are typical of the metamodels presented in this work (KM3 and UML2). For example, the measurable entities for a model which is expressed in km3 might be package, class, attribute, reference etc.

The measurements in the proposal presented here are defined by the user, i.e. the model transformation needed to carry out the measurement it is not a model previously defined, but this model is defined according to the users needs. The measurement definition is possible thanks to the software measurement model, which contains all that is relative to the measurement to be carried out in each case. Moreover, the measurable entities are those which are defined in their corresponding domain and measurement metamodel (expressed in ecore). A further difference is that SMF uses QVT.

3 SOFTWARE MEASUREMENT FRAMEWORK

In order to carry out this proposal it was considered of interest to adapt FMESP to the MDE paradigm. The objective of this was to exploit the benefits that the paradigm could contribute to software measurement by, on one hand adopting the software measurement metamodel defined in FMESP, and on the other by evolving GenMETRIC to an environment which would allow the definition of software measurement models and the computation of the models defined. All this would take place within the context of models and model transformations of the MDA architecture. The Software Measurement Framework (SMF) is the evolution of the FMESP, but is adapted to the MDE paradigm and uses MDA technology.

The following subsections explain the conceptual, technological and methodological elements which are part of SMF.

3.1 Conceptual Architecture

Due to the necessity of having a generic and homogeneous environment for software measurement (García, Bertoa, et al., 2006; García, Piattini, et al., 2006; García, et al., 2007), a conceptual architecture and a tool with which to integrate the software measurement are proposed. In the following section, the main characteristics of this proposal are described. In García, et al. (2007) a more detailed description can be found.




Figure 1: Conceptual framework with which to manage software measurement.

The proposed software measurement described in this paper is part of the FMESP framework (García, Piattini, et al., 2006). The FMESP framework permits representing and managing software processes from the perspectives of modeling and measurement. We

focus on the measurement support of the framework whose elements are detailed according to the three layers of abstraction of metadata that they belong to, according to the MOF standard. In Figure 1, the conceptual architecture for integrated measurement is represented.

As can be observed in Figure 1, the architecture has been organized into the following conceptual levels of metadata:

- **Meta-MetaModel Level (M3).** At this level, an abstract language for the definition of metamodels, is found. This is the MOF language.
- **Metamodel Level (M2).** In the M2 level, two generic metamodels which conform with this framework are required. These are: the Measurement Metamodel, to define specific measurement models; and Domain Metamodels, to represent the kinds of entities which are candidates for measurement in the context of the evaluation of the software processes, such as, UML and Process metamodels.
- **Model Level (M1).** Specific models are included at this level. These models may be of two types: Measurement Models, which are examples of the measurement metamodel in the M2 level and which are defined in such a way as to satisfy some of the company's information needs; and Domain Models, which are defined according to their corresponding domain metamodels.

In order to establish and clarify the concepts and relationships that are involved in the software measurement domain before designing the metamodel, an ontology for software measurement was developed (García, Bertoa, et al., 2006). The measurement metamodel was derived by using the concepts and relationships stated in the ontology as a base. The Software Measurement metamodel (which is integrated in SMF) is organized around four main packages (for greater detail see the work of García, Bertoa, et al. (2006)):

- **Software Measurement Characterization and Objectives**, which includes the constructors required to establish the scope and objectives of the software measurement process.
- **Software Measures**, which aim at establishing and clarifying the key elements in the definition of a software measure.
- **Measurement Approaches**. This package introduces the element of measurement approach to generalize the different

approaches used by the three kinds of measures to obtain their respective measurement results. A base measure applies a measurement method. A derived measure uses a measurement function. Finally, an indicator uses an analysis model to obtain a measurement result that satisfies an information need.

- **Measurement Action.** This establishes the constructs related to the act of measuring software. A measurement (which is an action) is a set of measurement results, for a given attribute of an entity, using a measurement approach. Measurement results are obtained as the result of performing measurements (actions).

3.2 Technological Aspects

In this section the technological aspects of SMF are explained.

3.2.1 Adaptation to MDA

In Figure 2 the necessary elements for the FMESP adaptation to MDA are presented according to MOF levels.




Figure 2: Elements of the FMESP adaptation in a MDA context.

As can be observed in Figure 2, two new elements, namely the QVT Relations model and metamodel, have been added to adapt the conceptual architecture illustrated Figure 1 to MDA. The QVT Relations Model (which is described in greater detail

in Section 3.2.2) is obtained automatically through a transformation from a Measurement model. It contains all the information necessary to carry out the transformation of the SMF proposal. Ecore language has been selected because it is a common modeling language based on EMOF. EMOF is the part of the MOF 2.0 specification that is used for defining simple metamodels using UML-like concepts.

3.2.2 QVT Relations Transformation

The QVT Relations model is the transformation needed to perform the measurement. In this transformation two source models are involved: a Software Measurement model and a domain model; the target model is the Software Measurement Model with the measurement results (see Figure 2). Due to the fact that the proposal is about generic measurement, it is very important that the QVT model is obtained in a generic way. The MDE paradigm and MDA technology are applied for this reason.

This transformation is obtained automatically from the previous QVT transformation shown in Figure 3. The QVT Relations model, called the extended or final QVT Relations model, is obtained from a QVT transformation, where there are two source models: the basic or initial QVT Relations model (which conforms to the QVT Relations metamodel) and the Software Measurement model (previously defined).




Figure 3: QVT Relations transformation model.

The extended QVT Relations model extends the basic QVT Relations model with the following aspects:

- **Transformation Model:** to obtain the extended QVT Relations model, the source

model specification is needed. In this case, there are two source models: the Software Measurement model and the domain model. Due to the fact that the Software Measurement model is always the same, this model is already defined in the basic QVT Relations model. Therefore, only the domain model needs to be defined. This information is taken from the Software Measurement model which contains all the measurement information.

- **Relation Domain:** in order to perform the transformation, it is necessary to define the *checkonly domain* rules. In this case there are two, one for each source model: the domain model and the Software Measurement model. It is only necessary to define *checkonly domain* of the domain model, because *checkonly domain* of the measurement model is already defined in the basic QVT Relations model.
- **Function:** this contains the necessary OCL queries to carry out the measurement. These OCL queries are the implementations of the “*Measurement Action*” package defined in the Software Measurement Metamodel.

These elements are empty in the basic QVT Relations model, and they are extended to obtain the extended QVT Relations model, the transformation model necessary to carry out the measurement. In the Figure 4 all the Software Measurement process is shown.




Figure 4. Software Measurement process.

3.2.3 Technological Environment

In this paper, the tool selected has been the model management environment called MOMENT

(MOment manageMENT)(Boronat, et al., 2007). This framework is integrated in the Eclipse platform. It provides a set of generic operators to deal with models through the Eclipse Modeling Framework (EMF)("Eclipse Modelling Framework (EMF) Main Page," 2007). The underlying formalism of the model management approach is the algebraic language Maude ("The Maude System," 2007).

From a functional point of view, MOMENT has two components: OCL query execution (MOMENT-OCL) and QVT Transformations (MOMENT-QVT).

MOMENT-OCL (Boronat, et al., 2006) has implemented an editor integrated in the Eclipse platform to check OCL invariants and to execute OCL queries over instances of ecore models. It uses Ecore models in the entire software development process to store the OCL expressions by following the Model Driven Engineering approach. One advantage of this is the persistence mechanisms in XMI that EMF provides automatically. In this work, it has been used in order to check and validate the OCL queries used in the QVT transformations. The results have been shown by screen.

On the other hand, the MOMENT-QVT tool (Queralt, et al., 2006) is a model transformation engine that provides partial support for the QVT Relations language. It implements the metamodel definition QVT, given in the QVT standard, and provides an editor for the QVT Relations language, which permits the definition of model transformations between EMF metamodels.

In order to carry out a QVT transformation in MOMENT, a transformation textual specification (coded by the Textual QVT Editor and stored in a .qvtext) or, its equivalent QVT Relations model (stored in a .qvt) can be used. This model conforms to the QVT Relations metamodel and it is possible to obtain it by parsing the textual specification.

3.3 Method

The necessary steps to carry out the software measurement by using the SMF are explained below (see Figure 2):

1. **Incorporation of Domain Metamodel:** the measurement is made in a specific domain. This domain must be defined according to its metamodel (it is situated in the M2 level and it conforms to the Ecore meta-metamodel).
2. **Creation of Measurement Model:** the measurement model is created according to the Software Measurement metamodel which is integrated in SMF. This first model is the source model, so the results are therefore still not

defined, i.e. the “*Measurement Action*” package from the Software Measurement metamodel is still not instantiated.

3. **Creation of Domain Model:** which is defined according to its corresponding domain metamodel (created in the first step). The domain models are the entities whose attributes are measured by calculating the measurements defined in the corresponding measurement models. Examples of domain models are: the UML models (use cases, class diagrams, etc.), or the E/R models.
4. **Measurement Execution:** the measurement execution is carried out through QVT transformation, in which, the measurement model is obtained by starting from the two source models (the measurement model and the domain model) where the results are defined, i.e. the “*Measurement Action*” package is instantiated. The target measurement model is the extension of the source measurement model. The measurement results are calculated by running OCL queries on the domain model.

An example of the method application is shown in the following section.

4 EXAMPLE

To illustrate the benefits of the proposal, consider the example of relational database measurement. For greater simplicity, only the following elements are shown in Figure 5: *Measurement Method*, *Entity* (to which the measurement method is applied) and *Measurement result* (the result is obtained by executing the measurement method on the entity).




Figure 5: Relationship between Relational Database (domain) Metamodel and SMM.

Furthermore, it is necessary for the domain metamodel, in this case Relational Databases domain, to have been previously chosen. Both metamodels are independent (Figure 5), although they are logically related. In Figure 5 the measurement and domain metamodels have been represented in a clear and a dark colour, respectively.

In this example, the chosen measurement method has been “COUNT elements of type TABLE”, which is an instantiation of the abstract method “COUNT elements of type X”.

In order to carry out the measurement, the following steps (four steps) must take place:

1. Incorporation of Relational Databases metamodel (represented in a dark colour in Figure 6).
2. Creation of measurement model conforms to Software Measurement metamodel. For the measurement method “COUNT elements of type TABLE”, the values of *Entity* and *Measurement Method* are Table and Count, respectively. The *Measurement Result* is not still defined.
3. Creation of model conforms to the Relation Database metamodel. In this case, the model (relational schema) is a university domain composed of five tables with their corresponding primary keys (bold and shaded), foreign keys (underlined and italic), and attributes (see Figure 6).




Figure 6: Relational Database model (relational schema).

The extended QVT Relations model was needed to carry out the fourth step. This transformation is obtained automatically (see section 3.2.2). The extended elements are detailed below:

- Transformation Model: the target model is the relational databases domain model.
- Relation Domain: the checkonly domain of the relational schema domain is indicated (see Figure 7).

```

checkonly domain relationalDomain
srcRelationalSchema : RelationalSchema {
  name = myRelationalSchema
};
checkonly domain measurementDomainSrc
srcMeasurementModel : MeasurementModel {

  modelName = myModelName,

  measurements = dstMeasurement1 : Measurement {
    name = myMeasurementName,
    method = dstMethod : MeasurementMethod{
      nameMethod = myMethod
    },
    entity = dstEntity : Entity{
      nameEntity = myEntity
    },
    result = dstResult : MeasurementResult{}
  } //result not defined
};

```

Figure 7: “Relation Domain” elements from extended QVT Relations model.

- Function: this contains the OCL queries with which to perform the measurement, in this case, the queries necessary to implement the “count element of type X” measurement method where X is Table (see Figure 8).

```

enforce domain measurementDomainDst
dstMeasurementModel : MeasurementModel {
  modelName = myModelName,

  measurements = dstMeasurement1 : Measurement {
    name = myMeasurementName,
    method = dstMethod : MeasurementMethod{
      nameMethod = myMethod
    },
    entity = dstEntity : Entity{
      nameEntity = myEntity
    },
    result = measurementAction(srcRelationalSchema,
      myMethod, myEntity)
  }
};
//TOP RELATION
function measurementAction(relationalSchema: RelationalSchema,
  method: String, entity: String) : Integer
{
  relationalSchema.modelElements->select(m:ModelElement
|m.ocliIsTypeOf(Table))->size()
}

```

Figure 8: “Function” elements from extended QVT Relations model.

- The source models used to carry out the measurement are: the measurement model (2nd step), the domain model (3rd step) and the extended QVT Relations model. The target model obtained is the measurement model with defined *Measurement Result* (see Figure 9). In this example the value of *Measurement Result* is 5 (number of tables).

```

<?xml version="1.0" encoding="ASCII"?>
<measurement:MeasurementModel xmi:version="2.0"
  xmlns:xmi="http://www.omg.org/XMI"
  xmlns:measurement="http://bmoira/metamodels/measurement"
  modelName="ER_MEASUREMENT">
  <measurements name="RELATIONAL_SCHEMA_MEASUREMENT">
    <method nameMethod="COUNT"/>
    <entity nameEntity="TABLE"/>
    <result result="5"/>
  </measurements>
</measurement:MeasurementModel>

```

Figure 9: Measurement result.

In the same way as is illustrated with Relational Databases, the method can be applied to any other domains, such as for example, UML models, Project Management or Business Processes, etc.

5 CONCLUSIONS AND FUTURE WORK

In this paper, a generic framework for the definition of measurement models based on a common metamodel has been presented. The framework allows the integrated management and measurement of a great diversity of entities.

Following the MDA approach and starting from a (universal) measurement metamodel, it is possible to carry out the measurement of any domain by means of QVT transformation, and this process is completely transparent to the user.

With SMF, it is possible to measure any software entity. The user task consists in selecting the domain metamodel (the domain to be measured) and defining the source models. The software metamodel is integrated in the framework.

At the present time, a Software Measurement Modeling Language (SMML) is being developed to supply measurement engineers with the definition of software measurement models according to the proposed metamodel; this language will be integrated in SMF.

Among related future works, one important work is the realization of a plug-in based on Eclipse which will supply the user with the data introduction and the measurement process. This plug-in will enable users to instantiate measurement models in an easy and intuitive way. Other future work will be to align our metamodel with the Software Metrics Meta-Model (SMM) OMG proposal (OMG, 2007), which is at present in its development phase. Finally, we shall apply SMF to real environments to obtain further refinements and validation.

ACKNOWLEDGEMENTS

This work has been partially financed by the following projects: ENIGMAS (Junta de Comunidades de Castilla-La Mancha, PBI-05-058), ESFINGE (Ministerio de Educación y Ciencia, TIN2006-15175-C05-05) and META (Ministerio de Educación y Ciencia, TIN2006-15175-C05-01).

REFERENCES

- Auer, M., Graser, B., & Biffel, S. (2003). *A Survey on the Fitness of Commercial Software Metric Tools for Service in Heterogeneous Environments: Common Pitfalls* Paper presented at the Ninth International Software Metrics Symposium. (Metrics '03).
- Bézivin, J., Jouault, F., & Touzet, D. (2005). *Principles, standards and tools for model engineering*. Paper presented at the 10th IEEE International Conference on Engineering of Complex Computer Systems (ICECCS'2005).
- Boronat, A., & Meseguer, J. (2007). *Algebraic Semantics of EMOF/OCL Metamodels* (No. Technical Report UIUCDCS-R-2007-2904): CS Dept., University of Illinois at Urbana-Champaign.
- Boronat, A., Ramos, I., & Carsí, J. Á. (2006, Marzo 2003). *Definition of OCL 2.0 Operational Semantics by means of a Parameterized Algebraic Specification*. Paper presented at the WAFOCA'06. First International Workshop on algebraic foundations for OCL and Applications.
- Brown, M., & Dennis, G. (2004). *Measurement and Analysis: What Can and Does Go Wrong?* *10th IEEE International Symposium on Software Metrics (METRICS'04)*, 131-138.
- Eclipse Modelling Framework (EMF) Main Page (2007), from <http://www.eclipse.org/emf>
- Fenton, N., & Pfleeger, S. L. (1997). *Software Metrics: A Rigorous & Practical Approach, Second Edition*: PWS Publishing Company.
- Florac, W. A., Carleton, A. D., & Barnard, J. (2000). *Statistical Process Control: Analyzing a Space Shuttle Onboard Software Process*. *IEEE Software*, 17 (4)(4).
- García, F., Bertoa, M. F., Calero, C., Vallecillo, A., Ruiz, F., Piattini, M., et al. (2006). *Towards a consistent terminology for software measurement*. *Information and Software Technology* 48(8), 631-644
- García, F., Piattini, M., Ruiz, F., Canfora, G., & Visaggio, C. A. (2006). *FMESP: Framework for the modeling and evaluation of software processes*. *Journal of Systems Architecture - Agile Methodologies for Software Production* 52(11), 627-639
- García, F., Serrano, M., Cruz-Lemus, J., Ruiz, F., & Piattini, M. (2007). *Managing Software Process Measurement: A Metamodel-Based Approach*. *Information Sciences*.
- Harrison, W. (2004). *A flexible method for maintaining software metrics data: a universal metrics repository*. *Journal of Systems and Software* 72(2), 225-234
- Jokikyyny, T., & Lassenius, C. (1999). *Using the internet to communicate software metrics in a large organization*. Paper presented at the Proceedings of GlobeCom'99.
- Kempkens, R., Rösch, P., Scott, L., & Zettel, J. (2000). *Instrumenting Measurement Programs with Tools*. Paper presented at the PROFES 2000, Oulu, Finland.
- Komi-Sirviö, S., Parviainen, P., & Ronkainen, J. (2001). *Measurement Automation: Methodological Background and Practical Solutions-A Multiple Case Study*. Paper presented at the Seventh International Software Metrics Symposium (METRICS'01), London.
- Lavazza, L., & Agostini, A. (2005). *Automated Measurement of UML Models: an open toolset approach*. *Object Technology*, 4(4), 115-134.
- The Maude System (2007), from <http://maude.cs.uiuc.edu/>
- OMG (2007). *Architecture-Driven Modernization (ADM): Software Metrics Meta-Model (SMM)*. *OMG Document: dmtf/2007-03-02*: Object Management Group.
- Palza, E., Fuhrman, C., & Abran, A. (2003). *Establishing a Generic and Multidimensional Measurement Repository in CMMI context* Paper presented at the 28th Annual NASA Goddard Software Engineering Workshop (SEW'03), Greenbelt (Maryland, USA).
- Queralt, P., Hoyos, L., Boronat, A., Carsí, J. Á., & Ramos, I. (2006, October 2006). *Un motor de transformación de modelos con soporte para el lenguaje QVT relations*. Paper presented at the Desarrollo de Software Dirigido por Modelos - DSDM'06 (Junto a JISBD'06), Sitges, Spain.
- Scotto, M., Sillitti, A., Succi, G., & Vernazza, T. (2004). *A relational approach to software metrics*. Paper presented at the Proceedings of the 2004 ACM symposium on Applied computing (SAC'2004), Nicosia, Cyprus.
- Vépa, É., Bézivin, J., Brunelière, H., & Jouault, F. (2006). *Measuring Model Repositories*. Paper presented at the Model Size Metrics Workshop at the MODELS/UML 2006 conference, Genoava, Italy.

AUTHOR INDEX

Abreu, P.	511	Davis Jr., C.	519
Aggistalis, K.	74	Delgado, C.	497
Alexander, K.	258	Dias, M.	433, 469
Almeida, P.	405	Domínguez, M.	389, 429
Amanton, L.	501	Dospinescu, O.	425
Amghar, Y.	355, 492	Draheim, D.	485
Andreou, A.	57	Droop, M.	5
Araque, F.	497	Dube, K.	515
Araújo, V.	65	Edelweiss, N.	310
Argotte, L.	429	Eder, J.	232
Ayeb, B.	501	Eessaar, E.	41
Bächle, S.	368	Equey, C.	143
Barchetti, U.	179	Fernandes, M.	405
Barry, C.	282	Ferreira, F.	479
Bastos, R.	25	Flarer, M.	5
Bedla, M.	374	Flentge, F.	165
Ben-Abdallah, H.	317	Fontán, F.	389
Benharkat, A.	355	Fotache, D.	425
Bentayeb, F.	531	Främling, K.	252
Boehm, M.	131, 137	Galante, R.	310
Boronat, A.	117	Gançarski, A.	479
Bouaziz, R.	290	García, F.	117
Brahmia, Z.	290	Gascueña, C.	339
Brandejs, M.	437	Gazola, A.	49
Brauner, D.	49	Ghisoiu, N.	541
Breitman, K.	49	Ghozzi, F.	317
Bresfelean, V.	541	Gil, R.	421
Bucciero, A.	179	Gómez, A.	117
Burdescu, D.	417	Gonçalves, R.	449
Callegari, D.	25	Gonzalez, I.	511
Carsí, J.	117	Gorea, D.	276
Carstensen, A.	333	Grinsven, P.	203
Carvalho, J.	433, 469	Groppe, J.	5, 149
Casanova, M.	49, 65	Groppe, S.	5
Celma, M.	457	Guadalupe, R.	339
Ceravolo, P.	15	Gulla, J.	33
Chen, C.	413	Guo, M.	105
Chen, Y.	173	Guran, C.	417
Coelho, R.	397, 523	Gusmini, A.	15
Comes, C.	541	Habich, D.	131, 137
Coz, J.	421	Hampel, T.	232
Cui, Z.	15	Härder, T.	368, 535
Curino, C.	323	Harrison, M.	304
Dai, G.	246	Hawel, C.	485
Damiani, E.	15	Helaakoski, H.	465

AUTHOR INDEX (CONT.)

Henriques, P.	479	Moon, H.	323
Holmberg, L.	333	Mora, B.	117
Huang, Y.	105	Morbach, J.	190
Hurban, L.	425	Mouzakitis, S.	298
Huynh, N.	210	Mühlhäuser, M.	165
Ion, A.	417	Müldner, T.	380
Itaborahy, A.	218	Munteanu, B.	425
Jácome, N.	429	Nebeling, M.	240
Jouve, D.	492	Nitsiou, M.	362
Karanikolas, N.	362	Noll, R.	310
Kasprzak, J.	437	Nyman, J.	252
Klein, J.	535	Ojala, P.	445
Křipač, M.	437	Oliveira, A.	397, 523
Kusters, R.	143	Oliveira, K.	218
Lamolle, M.	85, 461	Oliveira, P.	449
Lampathaki, F.	298	Otero, S.	389
Lehner, W.	131, 137	Otieno, J.	505
Leida, M.	15	Pan, W.	111
Leighton, G.	380	Papastefanatos, G.	74
Lemos, F.	65	Papatheocharous, E.	57
Lettner, C.	485	Paredes, I.	429
Li, W.	413	Pastor, J.	349
Li, X.	246	Pechlivani, F.	74
Linnemann, V.	5, 149	Peltomaa, I.	465
Liu, J.	111	Peng, T.	473
Liu, W.	246	Pennesi, P.	304
Lopez, V.	196	Pérez, M.	159
Mainetti, L.	179	Peters, G.	97
Mangisengi, O.	210	Piattini, M.	117, 393
Mansour, E.	515	Pinggera, J.	5
Mariño, P.	389	Pinon, J.	492
Marquardt, W.	190	Pinto, J.	405
Martins, J.	405	Pirklbauer, G.	453
Mathis, C.	368	Psarras, J.	298
Matthias, A.	258	Qiao, Y.	246
Mayol, E.	349	Rabelo, B.	519
Méndez, E.	159	Ramos, I.	117
Mendoza, L.	159	Rao, C.	304
Menet, L.	85, 461	Rappl, M.	453
Menolli, A.	397, 523	Reis, L.	511
Michel, V.	252	Reithermann, S.	535
Miziołek, J.	380	Ribeiro, M.	25
Molina, R.	429	Rifaieh, R.	355
Montandon, N.	143	Romero, M.	393
Monteiro, M.	449	Ruiz, J.	421

AUTHOR INDEX (CONT.)

Rumantir, G.	240	Thoma, F.	97
Sabato, S.	179	Tian, J.	111
Saccol, D.	310	Timbrell, G.	226
Sadaoui, S.	125	Trienekens, J.	203
Sadeg, B.	501	Tuikkanen, J.	465
Sadiq, S.	441	Valentim, L.	433
Said, A.	501	Varone, S.	143
Salem, A.	317	Vassiliadis, P.	74
Salguero, A.	497	Vassiliou, Y.	74
Sandkuhl, K.	333	Vasutiu, O.	492
Santner, F.	5	Vidal, V.	65
Santos, R.	218	Vizcaíno, A.	393
Sapiecha, K.	374	Vo, H.	264
Savnik, I.	91	Walsh, D.	270
Savu, L.	541	Wang, H.	246
Scheidl, S.	165	Weber, R.	97
Schier, M.	5	Wiesner, A.	190
Schikuta, E.	232	Wloka, U.	131,137
Schmidt, K.	535	Wong, C.	304
Schöpf, F.	5	Wu, B.	515
Schulte, J.	232	Yannakoudakis, E.	362
Sellami, S.	355	Yeganeh, N.	441
Sharifimehr, N.	125	Zaniolo, C.	323
Sikorski, W.	282	Zatarain, R.	457
Silveira, R.	349	Zepeda, L.	457
Simitsis, A.	74	Zerdazi, A.	85
Sivala, S.	304	Zhong, K.	246
Skourlas, C.	362	Zugal, S.	5
Šmerk, P.	437		
Smith, L.	240		
Somolinos, J.	421		
Sourouni, A.	298		
Sousa, J.	196		
Spahiu, C.	417		
Spatacean, I.	541		
Staffler, H.	5		
Stanescu, L.	417		
Stark, K.	232		
Stefan, B.	541		
Stefan, D.	541		
Steinmaurer, T.	485		
Stoitsev, T.	165		
Suzuki, M.	264		
Tanca, L.	323		



Proceedings of the
10th International Conference on Enterprise Information Systems – ICEIS 2008
ISBN: 978-989-8111-36-4
<http://www.iceis.org/>