

ICSOFT 2011

6th International Conference on Software and
Data Technologies

Proceedings

Volume 2

Seville, Spain
18 - 21 July, 2011

Sponsored by:



In Cooperation with:



ATI Asociación de Técnicos
de Informática



In Collaboration with:



ICSOFT 2011

Proceedings of the
6th International Conference on
Software and Database Technologies

Volume 2

Seville, Spain

18 - 21 July, 2011

Sponsored by

**INSTICC – Institute for Systems and Technologies of Information, Control
and Communication**

In Collaboration with

**University of Seville
ETSII – University of Seville**

In Cooperation with

**IICREST – Interdisciplinary Institute for Collaboration and Research on
Enterprise Systems and Technology**

CEPIS – Council of European Professional Informatics Societies

ATI – Asociación de Técnicos de Informática

**FIDETIA – Fundación para la Investigación y el Desarrollo de las Tecnologías
de la Información en Andalucía**

INES – Iniciativa Española de Software y Servicios

Copyright © 2011 SciTePress – Science and Technology Publications
All rights reserved

Edited by Maria Jose Escalona, Boris Shishkov and José Cordeiro

Printed in Portugal

ISBN: 978-989-8425-77-5

Depósito Legal: 330157/11

<http://www.icssoft.org/>

icssoft.secretariat@insticc.org

BRIEF CONTENTS

INVITED SPEAKERS	IV
ORGANIZING AND STEERING COMMITTEES	V
PROGRAM COMMITTEE	VI
AUXILIARY REVIEWERS	IX
SELECTED PAPERS BOOK	IX
FOREWORD	XI
CONTENTS	XIII

INVITED SPEAKERS

Ivan Ivanov

SUNY Empire State College

U.S.A.

Antonia Bertolino

Italian National Research Council - CNR

Italy

David Marca

University of Phoenix

U.S.A.

Oscar Pastor

Universidad Politécnica de Valencia

Spain

ORGANIZING AND STEERING COMMITTEES

CONFERENCE CO-CHAIRS

José Cordeiro, Polytechnic Institute of Setúbal / INSTICC, Portugal

Maria Jose Escalona, University of Seville, Spain

PROGRAM CHAIR

Boris Shishkov, IICREST, Bulgaria

PROCEEDINGS PRODUCTION

Patrícia Alves, INSTICC, Portugal

Helder Coelhas, INSTICC, Portugal

Vera Coelho, INSTICC, Portugal

Andreia Costa, INSTICC, Portugal

Patrícia Duarte, INSTICC, Portugal

Bruno Encarnação, INSTICC, Portugal

Liliana Medina, INSTICC, Portugal

Carla Mota, INSTICC, Portugal

Raquel Pedrosa, INSTICC, Portugal

Vitor Pedrosa, INSTICC, Portugal

Cláudia Pinto, INSTICC, Portugal

José Varela, INSTICC, Portugal

CD-ROM PRODUCTION

Pedro Varela, INSTICC, Portugal

GRAPHICS PRODUCTION AND WEBDESIGNER

Daniel Pereira, INSTICC, Portugal

SECRETARIAT AND WEBMASTER

Sérgio Brissos, INSTICC, Portugal

PROGRAM COMMITTEE

Alain Abran, Ecole de Technologie Supérieure -
Université du Québec, Canada

Muhammad Abulaish, Jamia Millia Islamia (A
Central University), India

Hamideh Afsarmanesh, University of Amsterdam,
The Netherlands

Jacky Akoka, CNAM & INT, France

Markus Aleksy, ABB Corporate Research Center,
Germany

Rafa E. Al-Qutaish, Al Ain University of Science
and Technology, U.A.E.

Toshiaki Aoki, Japan Advanced Institute of Science
and Technology, Japan

Keiji Araki, Kyushu University, Japan

Gabriela Noemí Aranda, Universidad Nacional
Del Comahue, Argentina

Farhad Arbab, CWI, The Netherlands

Cyrille Artho, AIST, Japan

Colin Atkinson, University of Mannheim,
Germany

Mortaza S. Bargh, Novay, The Netherlands

Bernhard Bauer, University of Augsburg,
Germany

Noureddine Belkhatir, Grenoble University,
France

Fevzi Belli, University of Paderborn, Germany

Jorge Bernardino, Polytechnic Institute of
Coimbra - ISEC, Portugal

Marko Boškovic, Athabasca University, Canada

Lydie du Bousquet, Université J. Fourier, Grenoble
I, France

Mark Van Den Brand, Eindhoven University of
Technology, The Netherlands

Lisa Brownsword, Software Engineering Institute,
U.S.A.

Manfred Broy, Technische Universität München,
Germany

Dumitru Burdescu, University of Craiova,
Romania

Cristina Cachero, Universidad de Alicante, Spain

Fergal Mc Caffery, Dundalk Institute of
Technology, Ireland

Antoni Lluís Mesquida Calafat, University of the
Balearic Islands (UIB), Spain

José Antonio Calvo-Manzano, Universidad
Politécnica de Madrid, Spain

Gerardo Canfora, University of Sannio, Italy

Mauro Caporuscio, Politecnico di Milano, Italy

Cinzia Cappiello, Politecnico di Milano, Italy

Cagatay Catal, TUBITAK - Research Council of
Turkey, Turkey

Krzysztof Cetnarowicz, AGH - University of
Science and Technology, Poland

Kung Chen, National Chengchi University, Taiwan

Shiping Chen, CSIRO ICT Centre Australia,
Australia

Yoonsik Cheon, University of Texas at El Paso,
U.S.A.

Chia-Chu Chiang, University of Arkansas at Little
Rock, U.S.A.

Peter Clarke, Florida International University,
U.S.A.

Rem Collier, University College Dublin, Ireland

Kendra Cooper, The University of Texas at Dallas,
U.S.A.

Sergiu Dascalu, University of Nevada, Reno,
U.S.A.

Steven Demurjian, University of Connecticut,
U.S.A.

Giovanni Denaro, University of Milano-Bicocca,
Italy

María J. Domínguez-Alda, Universidad de Alcalá,
Spain

Juan C. Dueñas, Universidad Politécnica de
Madrid, Spain

Philippe Dugerdil, Haute École de Gestion,
University of Applied Sciences, Switzerland

PROGRAM COMMITTEE (CONT.)

Jürgen Ebert, Universität Koblenz-Landau, Germany

Fikret Ercal, Missouri University of Science & Technology, U.S.A.

Maria Jose Escalona, University of Seville, Spain

João Faria, FEUP - Faculty of Engineering of the University of Porto, Portugal

Cléver Ricardo Guareis de Farias, University of São Paulo, Brazil

Luis Fernandez, University of Alcala, Spain

Rita Francese, Università degli Studi di Salerno, Italy

Kehan Gao, Eastern Connecticut State University, U.S.A.

Jose M. Garrido, Kennesaw State University, U.S.A.

Nikolaos Georgantas, INRIA, France

Paola Giannini, Università del Piemonte Orientale, Italy

J. Paul Gibson, T&MSP - Telecom & Management SudParis, France

Itana Gimenes, Universidade Estadual de Maringá, Brazil

Athula Ginige, University of Western Sydney, Australia

Juan Carlos Granja, University of Granada, Spain

Des Greer, Queens University Belfast, U.K.

Slimane Hammoudi, ESEO, France

Christian Heinlein, Aalen University, Germany

Markus Helfert, Dublin City University, Ireland

Brian Henderson-Sellers, University of Technology, Sydney, Australia

Jose Luis Arciniegas Herrera, Universidad del Cauca, Colombia

Jose R. Hilera, University of Alcala, Spain

Jang-eui Hong, Chungbuk National University, Korea, Republic of

Shihong Huang, Florida Atlantic University, U.S.A.

Ilian Ilkov, IBM Nederland B.V., The Netherlands

Ivan Ivanov, SUNY Empire State College, U.S.A.

Bharat Joshi, University of North Carolina Charlotte, U.S.A.

Yong-Kee Jun, Gyeongsang National University, Korea, Republic of

Sanpawat Kantabutra, Chiang Mai University, Thailand

Dimitris Karagiannis, University of Vienna, Austria

Foutse Khomh, Queen's University, Canada

Roger (Buzz) King, University of Colorado, U.S.A.

Mieczyslaw Kokar, Northeastern University, U.S.A.

Jun Kong, North Dakota State University, U.S.A.

Dimitri Konstantas, University of Geneva, Switzerland

Walter Kusters, Universiteit Leiden, The Netherlands

Martin Kropp, University of Applied Sciences Northwestern Switzerland, Switzerland

Patricia Lago, VU University Amsterdam, The Netherlands

Philippe Lahire, University of Nice - Sophia Antipolis, France

Konstantin Läufer, Loyola University Chicago, U.S.A.

Raimondas Lencevicius, Nuance Communications, U.S.A.

Hareton Leung, Hong Kong Polytechnic University, China

Hua Liu, Xerox Research Center at Webster, U.S.A.

David Lorenz, Open University, Israel

Zakaria Maamar, Zayed University, U.A.E.

Ricardo J. Machado, Universidade do Minho, Portugal

Leszek Maciaszek, Macquarie University, Australia

PROGRAM COMMITTEE (CONT.)

David Marca, University of Phoenix, U.S.A.

Eda Marchetti, ISTI-CNR, Italy

Katsuhisa Maruyama, Ritsumeikan University, Japan

Antonia Mas, Universitat de les Illes Balears, Spain

Tommaso Mazza, Centre for Integrative Biology, Italy

Bruce McMillin, Missouri University of Science and Technology, U.S.A.

Stephen Mellor, Freeter, U.K.

Marian Cristian Mihaescu, University of Craiova, Romania

Dimitris Mitrakos, Aristotle University of Thessaloniki, Greece

Valérie Monfort, Université de Sfax, Tunisia

Mattia Monga, Università degli Studi di Milano, Italy

Sandro Morasca, Università degli Studi Dell'Insubria, Italy

Paolo Nesi, University of Florence, Italy

Jianwei Niu, University of Texas at San Antonio, U.S.A.

Rory O'Connor, Dublin City University, Ireland

Pasi Ojala, Nokia, Finland

Vincenzo Pallotta, Webster University Geneva, Switzerland

Patrizio Pelliccione, University of L'Aquila, Italy

Massimiliano Di Penta, University of Sannio, Italy

César González Pérez, LaPa - CSIC, Spain

Pascal Poizat, LRI, France

Andreas Polze, Hasso-Plattner-Institute for Software Engineering at University Potsdam, Germany

Christoph von Praun, Ohm-University of Applied Sciences, Germany

Rosario Pugliese, Università di Firenze, Italy

Anders Ravn, Aalborg University, Denmark

Werner Retschitzegger, Johannes Kepler University, Austria

Claudio de la Riva, University of Oviedo, Spain

Colette Rolland, Université Paris 1 Panthéon-Sorbonne, France

Gustavo Rossi, Lifa, Argentina

Gunter Saake, Institute of Technical and Business Information Systems, Germany

Krzysztof Sacha, Warsaw University of Technology, Poland

Francesca Saglietti, University of Erlangen-Nuremberg, Germany

Beijun Shen, Shanghai Jiaotong University, China

Boris Shishkov, IICREST, Bulgaria

Yanfeng Shu, CSIRO ICT Centre, Australia

Marten van Sinderen, University of Twente / CTIT, The Netherlands

Harvey Siy, University of Nebraska at Omaha, U.S.A.

Yeong-tae Song, Towson University, U.S.A.

Cosmin Stoica Spahiu, University of Craiova - Faculty of Automation, Computers and Electronics, Romania

George Spanoudakis, City University, U.K.

Peter Stanchev, Kettering University, U.S.A.

Davide Tosi, University of Insubria, Italy

Sergiy Vilkomir, East Carolina University, U.S.A.

Gianluigi Viscusi, Università Di Milano-bicocca, Italy

Florin Vrejoiu, ATIC - Association for Information Technology and Communication of Romania, Romania

Christiane Gresse von Wangenheim, UFSC - Federal University of Santa Catarina, Brazil

Martijn Warnier, Delft University of Technology, The Netherlands

Ing Widya, University of Twente, The Netherlands

Dietmar Wikarski, FH Brandenburg University of Applied Sciences, Germany

PROGRAM COMMITTEE (CONT.)

Eric Wong, University of Texas at Dallas, U.S.A.

Jongwook Woo, California State University, U.S.A.

Qing Xie, Accenture Technology Labs, U.S.A.

Haiping Xu, University of Massachusetts
Dartmouth, U.S.A.

Tuba Yavuz-kahveci, University of Florida, U.S.A.

I-Ling Yen, University of Texas at Dallas, U.S.A.

Fatiha Zaidi, Université Paris-Sud XI, France

Xiaokun Zhang, Athabasca University, Canada

Hong Zhu, Oxford Brookes University, U.K.

Elena Zucca, University of Genova, Italy

AUXILIARY REVIEWERS

Narciso Albarracin, ONTOADAPTIVE, LLC,
U.S.A.

Tom Arbuckle, University of Limerick, Ireland

Carmen Bratosin, Océ, The Netherlands

Patricia Shiroma Brockmann, Ohm-Hochschule
Nürnberg, Germany

Félix Cuadrado, Universidad Politécnica de
Madrid, Spain

Subhomoy Dass, FAU, U.S.A.

Boni García, UPM, Spain

Rodrigo García-Carmona, Universidad
Politécnica de Madrid, Spain

Michiel Helvensteijn, CWI, The Netherlands

Joseph Kaylor, Loyola University, U.S.A.

Dae S. Kim-Park, University of Oviedo, Spain

Ruurd Kuiper, Technische Universiteit Eindhoven,
The Netherlands

James Mulcahy, Florida Atlantic University,
U.S.A.

Rob van Nieuwpoort, Vrije Universiteit
Amsterdam, The Netherlands

Behrooz Nobakht, Leiden University, The
Netherlands

Marcos Palacios, University of Oviedo, Spain

Jesús Pardillo, University of Alicante, Spain

Ignazio Passero, University of Salerno, Italy

Jose Proenca, K.U. Leuven, Belgium

Alexander Schneider,
Georg-Simon-Ohm-Hochschule Nürnberg,
Germany

Davide Taibi, Università dell'Insubria, Italy

Saleem Vighio, Computer Science, AAU, Denmark

Anton Wijs, Eindhoven University of Technology,
The Netherlands

Yunqi Ye, The University of Texas at Dallas, U.S.A.

SELECTED PAPERS BOOK

A number of selected papers presented at ICSOFT 2011 will be published by Springer-Verlag in a CCIS Series book. This selection will be done by the Conference Co-chairs and Program Chair, among the papers actually presented at the conference, based on a rigorous review by the ICSOFT 2011 Program Committee members.

FOREWORD

This volume contains the proceedings of the Sixth International Conference on Software and Data Technologies - ICSOFT 2011. The conference is sponsored by the Institute for Systems and Technologies of Information, Control and Communication (INSTICC), held in collaboration with the University of Seville and the Escuela Técnica Superior de Ingeniería Informática (ETSII) at the University of Seville, and organized in cooperation with IICREST (Interdisciplinary Institute for Collaboration and Research on Enterprise Systems and Technology), CEPIS (Council of European Professional Informatics Societies), ATI (Asociación de Técnicos de Informática), FIDETIA (Fundación para la Investigación y el Desarrollo de las Tecnologías de la Información en Andalucía) and INES (Iniciativa Española de Software y Servicios).

The purpose of ICSOFT is to bring together researchers and practitioners interested in information technology and software development. The conference tracks are “Enterprise Software Technology”, “Software Engineering”, “Distributed Systems”, “Data Management” and “Knowledge-Based Systems”.

Software and data technologies are essential for developing any computer information system, encompassing a large number of research topics and applications: from programming issues to the more abstract theoretical aspects of software engineering; from databases and data-warehouses to the most complex management information systems; knowledge-base systems; distributed systems, ubiquity, data quality and many other topics are included in the scope of ICSOFT.

ICSOFT 2011 received 220 paper submissions from 48 countries. To evaluate each submission, a double-blind paper evaluation method was used: each paper was reviewed by at least two internationally known experts from the ICSOFT Program Committee. Only 27 papers were selected to be published and presented as full papers, i.e. completed work (10 pages in proceedings / 30’ oral presentation). Additionally, 62 papers were accepted as short papers (6 pages / 20’ oral presentation), - for a total of 89 oral presentations – and 33 papers as posters. The full-paper acceptance ratio was thus 12.3%, while the total oral paper acceptance ratio was 40.4%. As in previous editions of the conference, based on the reviewers’ evaluations and on the presentations, a short list of authors will be invited to submit extended versions of their papers for a book which will be published by Springer with the best papers of ICSOFT 2011.

ICSOFT’s program includes panels to discuss aspects of software development from both theoretical and practical perspectives, with the participation of distinguished world-class researchers and practitioners; furthermore, the program is enriched by several keynote lectures delivered by renowned experts in their areas of knowledge. These high points in the conference program definitely contribute to reinforce the overall quality of the ICSOFT conference, which is already becoming one of the most prestigious yearly events in its area.

The program for this conference required the dedicated effort of many people. Firstly, we must thank the authors, whose research efforts are herewith recorded. Secondly, we thank the members of the Program Committee and the additional reviewers for their diligent and professional reviewing. Next, we would like to personally thank the local organizers for all their hard work to provide smooth logistics and a friendly environment. Last but not least, we thank the invited speakers for their invaluable contribution and for taking the time to synthesize and prepare their talks.

A successful conference involves more than paper presentations; it is also a meeting place, where ideas about new research projects and other ventures are discussed and debated. Therefore, a social event - including dinner - has been arranged for the evening of July 19 (Tuesday) in order to promote this kind of social networking.

We wish you all an exciting conference and an unforgettable stay in the city of Seville. We hope to meet you again next year for the 7th ICSoft, to be held in Rome, details of which will shortly be made available at <http://www.icsoft.org>.

Maria Jose Escalona

University of Seville, Spain

Boris Shishkov

IICREST, Bulgaria

José Cordeiro

Polytechnic Institute of Setúbal / INSTICC, Portugal

CONTENTS

INVITED SPEAKERS

KEYNOTE SPEAKERS

THE IMPACT OF EMERGING COMPUTING MODELS ON ORGANIZATIONAL SOCIO-TECHNICAL SYSTEM <i>Ivan Ivanov</i>	IS-5
TOWARDS ENSURING ETERNAL CONNECTABILITY <i>Antonia Bertolino</i>	IS-7
DOMAIN MODELING – A LOST ART? <i>David Marca</i>	IS-11
FROM REQUIREMENTS TO CODE - A Full Model-Driven Development Perspective <i>Oscar Pastor</i>	IS-19

SOFTWARE ENGINEERING

FULL PAPERS

ON THE DISTRIBUTION OF SOURCE CODE FILE SIZES <i>Israel Herraiz, Daniel M. German and Ahmed E. Hassan</i>	5
COLLECTIVE SPECIFICATION AND VERIFICATION OF BEHAVIOR MODELS AND OBJECT-ORIENTED IMPLEMENTATIONS <i>Qing Yi, Jianwei Niu and Anitha R. Marneni</i>	15
JHYDE - THE JAVA HYBRID DEBUGGER <i>Christian Hermanns and Herbert Kuchen</i>	25
CTGE: AN EFFECTIVE CONSTRAINT-BASED TEST-CASE GENERATION ALGORITHM FOR DETECTING REGRESSION BUGS IN EVOLVING PROGRAMS <i>Anh D. Le, Tho T. Quan, Nguyen T. Huynh and Phung H. Nguyen</i>	36
GOAL DRIVEN ITERATIVE SOFTWARE PROJECT MANAGEMENT <i>Yves Wautelet and Manuel Kolp</i>	44
MODEL-DRIVEN DESIGN OF PERFORMANCE REQUIREMENTS WITH UML AND MARTE <i>Antonio García-Domínguez, Inmaculada Medina-Bulo and Mariano Marcos-Bárcena</i>	54
TYPE-FLOW ANALYSIS FOR LEGACY COBOL CODE <i>Alvise Spanò, Michele Bugliesi and Agostino Cortesi</i>	64
A MODEL-BASED REPOSITORY FOR OPEN SOURCE SERVICE AND COMPONENT INTEGRATION <i>Rodrigo García-Carmona, Félix Cuadrado, Juan C. Dueñas and Álvaro Navas</i>	76
CLIENT-TIER VALIDATION OF DYNAMIC WEB APPLICATIONS <i>Hideo Tanida, Masahiro Fujita, Mukul Prasad and Sreeranga P. Rajan</i>	86

SHORT PAPERS

KNOWING SOFTWARE ENGINEER'S PERSONALITY TO IMPROVE SOFTWARE DEVELOPMENT	99
<i>Luis G. Martínez, Juan R. Castro, Guillermo Licea, Antonio Rodríguez-Díaz and Carlos F. Alvarez</i>	
FEASIBLE DYNAMIC RECONFIGURATIONS OF PETRI NETS - Application to a Production System	105
<i>Mohamed Khalgui, Olfa Mosbahi, Jiafeng Zhang, Zhiwu Li and Atef Gharbi</i>	
ALIGNMENT OF OPEN SOURCE TOOLS WITH THE NEW ISO 25010 STANDARD - Focus on Maintainability	111
<i>Emanuel Irrazábal, Javier Garzás and Esperanza Marcos</i>	
PROCESS FRAMEWORK FOR EMERGENCY MANAGEMENT - Solving of Emergency Situations by Way of Business Processes	117
<i>Tomáš Ludík and Jaroslav Ráček</i>	
BEYOND DESIGN PATTERNS - Improving Software Design with Pluggable Units	123
<i>Fernando Barros</i>	
HURDLES IN MULTI-LANGUAGE REFACTORING OF HIBERNATE APPLICATIONS	129
<i>Hagen Schink, Martin Kuhleemann, Gunter Saake and Ralf Lämmel</i>	
INTER-MODEL CONSISTENCY BETWEEN UML STATE MACHINE AND SEQUENCE MODELS	135
<i>Yoshiyuki Shinkawa</i>	
OPERATIONALIZATION OF LEARNING SCENARIOS ON EXISTENT LEARNING MANAGEMENT SYSTEMS - The Moodle Case-study	143
<i>Ayamen Abedmouleh, Pierre Laforcade, Lahcen Oubahssi and Christophe Choquet</i>	
PROPERTY DRIVEN PROGRAM SLICING REFINEMENT	149
<i>Sukriti Bhattacharya and Agostino Cortesi</i>	
UNRESTRICTED AND DISJOINT OPERATIONS OVER MULTI-STACK VISIBLY PUSHDOWN LANGUAGES	156
<i>Stefan D. Bruda and Tawhid Bin Waez</i>	
MULTI-PLATFORM MODEL-DRIVEN SOFTWARE DEVELOPMENT OF WEB APPLICATIONS	162
<i>Ulrich Wolfgang</i>	
DETECTING EXECUTION AND HTML ERRORS IN ASP.NET WEB APPLICATIONS	172
<i>Mehmet Erdal Özkımacı and Aysu Betin Can</i>	
AN IDENTIFICATION METHOD OF RELATED GROUP THREADS FOR A RECENT BUG THREAD BY PEAK CHARACTERISTICS OF SIMILARITIES	179
<i>Yuuki Imanara, Kota Itakura, Masaki Samejima and Masanori Akiyoshi</i>	
SOFTWARE DEVELOPMENT ASPECTS OF OUT-OF-CORE DATA MANAGEMENT FOR PLANETARY TERRAIN	185
<i>Cody J. White, Sergiu M. Dascalu and Frederick C. Harris, Jr.</i>	
TEST GENERATION FROM BOUNDED ALGEBRAIC SPECIFICATIONS USING ALLOY	192
<i>Francisco Rebello de Andrade, João Pascoal Faria and Ana C. R. Paiva</i>	
FAILURE PREDICTION USING THE COX PROPORTIONAL HAZARD MODEL	201
<i>Pekka Abrahamsson, Ilenia Fronza and Jelena Vlasenko</i>	

A GENERIC API FOR THE INTEGRATION OF RBS IN AN ESB <i>David Haase, Karl-Heinz Krempels and Christoph Terwelp</i>	207
MODGRAPH - A Transformation Engine for EMF Model Transformations <i>Sabine Winetzhammer, Thomas Buchmann and Bernhard Westfechtel</i>	212
DYNAMIC LANGUAGES AS MODELING NOTATIONS IN MODEL DRIVEN ENGINEERING <i>Xiaoping Jia and Chris Jones</i>	220
BlueState - A Metamodel-based Execution Framework for UML State Machines <i>Alfredo Ortigosa and Carlos Rossi</i>	226
ASSISTING REFACTORING TOOL DEVELOPMENT THROUGH REFACTORING CHARACTERIZATION <i>Raúl Marticorena, Carlos López, Javier Pérez and Yania Crespo</i>	232
A BEHAVIORAL PERSPECTIVE IN META-MODELING <i>Säid Assar, Sana Damak Mallouli and Carine Souveyet</i>	238
MODEL DRIVEN DEVELOPMENT OF CONTEXT-AWARE SERVICES USING PARAMETERIZED TRANSFORMATION <i>Slimane Hammoudi</i>	244
MODELLING QUALITY ATTRIBUTES IN FEATURE MODELS IN SOFTWARE PRODUCT LINE ENGINEERING <i>Guoheng Zhang, Huilin Ye and Yuqing Lin</i>	249
POSTERS	
FROM SOFTWARE-AS-A-GOOD TO SAAS: CHALLENGES AND NEEDS - Developing a Tool supported Methodology for the Migration of Non-SaaS Applications to SaaS <i>Leire Orue-Echevarria Arrieta, Juncal Alonso Ibarra, Jan Gottschick and Hannes Restel</i>	257
A FRAMEWORK FOR DEFINING SIMULATORS WITH WHICH TO TRAIN GLOBAL SOFTWARE DEVELOPMENT <i>Miguel J. Monsor, Aurora Vizcaíno and Mario Piattini</i>	261
LESSONS LEARNED IN APPLYING MDE TO THE DEVELOPMENT OF HOME AUTOMATION SYSTEMS <i>Francisca Rosique, Pedro Sánchez, Manuel Jiménez and Diego Alonso</i>	265
A SYSTEMATIC LITERATURE REVIEW ON SOFTWARE PRODUCT LINE QUALITY <i>Carmen Moraga, M^a Ángeles Moraga, Marcela Genero and Mario Piattini</i>	269
COMPARISON OF SURFACE DATA - Exploring Real Samples Similarity for the Modelling of Engraving <i>Jana Hájková and Jakub Kotásek</i>	273
AGENT-BASED FAULT MANAGEMENT OF EMBEDDED CONTROL SYSTEMS <i>Atef Gharbi, Mohamed Khalgui, Jiafeng Zhang and Samir Ben Ahmed</i>	277
ALIGNMENT OF MEASUREMENT AND BUSINESS GOALS - A Systematic Literature Review <i>Belen Blasco, Marcela Genero and Mario Piattini</i>	281
FORMAL MODELING OF BEHAVIORAL PROPERTIES TO SUPPORT CORRECT BY DESIGN PUBLISH/SUBSCRIBE ARCHITECTURAL STYLES <i>Ikkbel Krichen, Imen Loulou and Ahmed Hadj Kacem</i>	286

AN IMPLEMENTATION FRAMEWORK FOR COMPONENT-BASED APPLICATIONS WITH
REAL-TIME CONSTRAINTS - Extensions for Achieving Component Distribution 290
Francisco Sánchez-Ledesma, Juan A. Pastor, Diego Alonso and Francisca Rosique

ENERGY AWARENESS NEEDS A RETHINKING IN SOFTWARE DEVELOPMENT 294
Hagen Höpfner and Christian Bunse

DEPIVOT – A SOFTWARE PACKAGE TO DESIGN AND EVALUATE CENTER-PIVOT
SYSTEMS 298
M. I. Valín, M. R. Cameira, C. Pedras, P. R. Teodoro, J. M Gonçalves and L. S. Pereira

COOPERATION OF CPU AND GPU PROGRAMS FOR REAL-TIME 3D MAP BUILDING 302
*Yonghyun Jo, Hanyoung Jang, Yeonho Kim, Joon-Kee Cho, Hyoung-Ki Lee, Young Ik Eom and
JungHyun Han*

QUALITY OF TRANSFORMATIONS PROVIDING INTEROPERABILITY IN SOFTWARE
ARCHITECTURE MODEL-DRIVEN DEVELOPMENT 305
Liliana Dobrica

KNOWLEDGE-BASED SYSTEMS

FULL PAPERS

POSSIBILISTIC METHODOLOGY FOR THE EVALUATION OF CLASSIFICATION
ALGORITHMS 313
Olgierd Hryniewicz

MINING INFLUENCE RULES OUT OF ONTOLOGIES 323
Barbara Furletti and Franco Turini

THE CLASSIFICATION OF TIME SERIES UNDER THE INFLUENCE OF SCALED NOISE 334
P. Kroha and K. Kröber

RECOMMENDING DOCUMENTS VIA KNOWLEDGE FLOW-BASED GROUP
RECOMMENDATION 341
Chin-Hui Lai, Duen-Ren Liu and Ya-Ting Chen

SHORT PAPERS

MODELING AWARENESS OF AGENTS USING POLICIES 353
Amir Talaei-Khoei, Pradeep Ray, Nandan Parameswaran and Ghassan Beydoun

A HYBRID CLASSIFIER WITH GENETIC WEIGHTING 359
Benjamín Moreno-Montiel and Renè MacKinney-Romero

A NEW METHOD FOR LEARNING THE SUPPORT VECTOR MACHINES 365
Catalina-Lucia Cocianu, Luminita State and Panayiotis Vlamos

AN EMBODIED CONVERSATIONAL AGENT FOR COUNSELLING ABORIGINES - Mr.
Warnanggal 371
Manolya Kavakli, Tarashankar Rudra and Manning Li

TOWARDS KNOWLEDGE MANAGEMENT IN SPORTS EVENT MANAGEMENT - Context
Analysis of Malaysian Biannual Games with CommonKADS 377
Azizul Rahman Abdul Ghaffar, Ghassan Beydoun, Jun Shen and Will Tibben

A METAHEURISTICS BASED SIMULATION TOOL TO OPTIMIZE DEMAND RESPONSIVE TRANSPORTATION SYSTEMS <i>Eneko Osaba, Pablo Fernandez, Roberto Carballedo and Asier Perallos</i>	384
INCONSISTENCY-TOLERANT ELIMINATIONS OF INTEGRITY VIOLATIONS <i>Hendrik Decker</i>	390
DOMAIN ONTOLOGY GENERATION USING LMF STANDARDIZED DICTIONARY STRUCTURE <i>Feten Baccar Ben Amar, Bilel Gargouri and Abdelmajid Ben Hamadou</i>	396
A SEMANTIC APPROACH TO THE EXTRACTION OF FEATURE TERMS <i>Manuela Angioni and Franco Tuveri</i>	402
A SITUATION-DEPENDENT SCENARIO GENERATION FRAMEWORK FOR PROJECT MANAGEMENT SKILL-UP SIMULATOR <i>Koichi Iwai, Masanori Akiyoshi, Masaki Samejima and Hiroshi Morihisa</i>	408
POSTERS	
METHOD FOR AN AUTOMATIC GENERATION OF A SEMANTIC-LEVEL CONTEXTUAL TRANSLATIONAL DICTIONARY <i>Dmitry Kan</i>	415
COMPARATION OF OWL ONTOLOGIES REASONERS - Testing Cases with Pellet and Jena <i>José R. Hilera, Luis Fernández-Sanz and Adela Díez</i>	419
AN ONTOLOGICAL APPROACH FOR THE ACTIVITY IN AN AUTOMATIC CONTROL FACULTY <i>Liliana Dobrica, Alexandra Suzana Cernian and Anca Bertesteanu</i>	423
AUTHOR INDEX	427

A SYSTEMATIC LITERATURE REVIEW ON SOFTWARE PRODUCT LINE QUALITY

Carmen Moraga, M^a Ángeles Moraga, Marcela Genero and Mario Piattini

ALARCOS Research Group, University of Castilla-la Mancha, Paseo de la Universidad 4, 13071, Ciudad Real, Spain
Carmen.Moraga@alu.uclm.es, {MariaAngeles.Moraga, Marcela.Genero, Mario.Piattini}@uclm.es

Keywords: Software product line, Quality, Systematic literature review.

Abstract: This paper provides a summary of a systematic literature review (SLR) which was performed to find out which quality characteristics have been seen as relevant in the literature, in the context of Software Product Lines (SPLs). This SLR, which encompasses works published between 01/01/1995 and 30/05/2008, identified 319 papers in 5 digital libraries, as well as 8 papers which were added by experts as grey literature. After analyzing the papers found, 43 were selected as primary studies. After an analysis of the 43 primary studies, we found that maintainability and reusability are the most relevant quality characteristics in this context. There is increasing interest in the evaluation and improvement of quality in the development of software which follows the SPL approach. In spite of this, no quality model specific to SPLs has yet been found which would meet with a consensus of general approval. For that reason, a standard quality model for SPLs is needed. Techniques for assessing and improving such characteristics must also be provided.

1 INTRODUCTION

The concept of quality is particularly pertinent in the context of SPL, because common software components can, and indeed must, be developed with a higher level of quality, since they are used in every single product. That being the case, it is evident that quality in SPLs improves the quality in each product created. Moreover, quality improvement in an SPL can increase re-use, and will consequently reduce effort, enhance product reliability, and shorten time-to-market.

This paper provides a summary of an SLR carried out to gather the quality characteristics that have been considered relevant in the literature related to the development of SPLs, along with the techniques that have been used to deal with them. In order to ensure that it is both systematic and rigorous, this SLR has been conducted by following the guidelines provided in (Kitchenham and Charters, 2007). The complete report of this SLR can be found at <http://alarcos.esi.uclm.es/SLR-SPLquality>.

The paper is organized as follows: in Section 2 the review process is presented in detail. The main results obtained from the SLR are reported in Section 3 and finally Section 4 presents some conclusions and suggestions for further research.

2 REVIEW PROCESS

In this section we describe the activities performed in the “Planning the review” and “Conducting the review” phases, based on (Kitchenham and Charters, 2007).

2.1 Planning the Review

In this phase we define the review protocol, consisting mainly of: formulation of the research question, selection of sources, definition of the search string, definition of inclusion or exclusion criteria and the selection of the information extraction strategy.

The research question that we wished to address is: “*What are the quality characteristics addressed by researchers in SPL development, and what techniques are proposed for dealing with them?*”.

We selected the following digital libraries to perform the searches: IEEE Computer Society, ACM, Science@Direct, Wiley InterScience, and SCOPUS. We also considered as grey literature some papers considered relevant by experts, but which were not found in the digital sources mentioned above.

The major search terms for building the search string were: “Product Line”, “Quality” and “Software”. In addition, to refine the search string, we selected specific quality characteristics obtained

from pilot searches we have done beforehand and some papers provided by experts, which were considered as “grey literature” in this SLR, as well as other quality characteristics that in our opinion can be relevant in this context. The alternative spellings or terminology related to the major terms are shown in Table 1.

Table 1: Search string.

Major terms	Alternative terms
Product line	Product families OR product family OR system families OR system family OR product lines
Quality	Maintainability OR flexibility OR reusability OR modifiability OR changeability OR functionality OR usability OR efficiency OR portability OR suitability OR accuracy OR interoperability OR security OR “fault tolerance” OR recoverability OR understandability OR comprehensibility OR learnability OR operability OR attractiveness OR “time behaviour” OR “resource utilisation” OR analysability OR stability OR testability OR adaptability OR installability OR replaceability OR complexity OR extensibility OR scalability OR customisability OR availability OR reliability OR mobility OR integrability OR safety
Software	-----

The relevant information from each paper used to answer the main research question addressed by this SLR was obtained from a data extraction strategy, consisting of the following six criteria: Quality characteristics, object of study, application domain, type of proposal, research method and type of support.

2.2 Conducting the Review

Firstly, we found 319 papers. Afterward, we analysed the title and abstract and selected 76 of them. Finally, 43 papers were chosen as primary studies, by applying the inclusion and exclusion criteria. The classification of the 43 papers included in this SLR can be found in <http://alarcos.esi.uclm.es/SLR-SPLquality>.

3 RESULTS

In the following paragraphs we present an analysis of the results obtained for each criterion used to extract the relevant information from the 43 selected papers.

3.1 Quality Characteristics

At the beginning, in the planning of the review 37 quality characteristics were proposed, but only 15 of these were found in the SLR. 11 other quality characteristics were obtained in the SLR, but these had

not been proposed previously.

The final set of quality characteristics is the following: functionality, reliability, usability, efficiency, maintainability, portability, reusability, effectiveness, availability, configurability, integrability, scalability, modularity and applicability.

Regarding to the most important quality characteristics in the context of SPLs, we shows that maintainability and reusability are the most relevant ones, followed by reliability, functionality, portability and availability.

3.2 Object of Study

Various software artefacts were considered when we were setting out to define or evaluate quality characteristics in the context of SPLs. We looked at software artefacts, i.e. software architecture of the product line, software products obtained from SPLs and Others. As (Bass et al., 1998) states, “software architecture of the product line” is the structure or structures of the system, which are composed of software components, the externally visible properties of those components, and the relationships between them. A “software product obtained from SPLs” studies the quality of the products obtained using the SPL; “Others” includes the papers relating to core assets, core asset requirements or product line requirements.

3.3 Application Domain

The common domains are the embedded systems, which can be found in telecommunications, the automobile industry, electronic systems, medical machines and so on. In our study, the most typical is the telecommunications domain, with 11 papers. The telecommunications domain is a set of telecommunications functionalities, which in turn consists of other domains, such as switching, protocols, telephony and network. A telecommunications SPL is a specific set of software systems that provides some of these functionalities (Clements and Northrop, 2001).

The SPL domain that is in second place as regards prevalence is the medical one, with 5 papers. In addition, 3 papers have been classified as “general product line” (i.e. they are not specific to a specific domain, because the purpose was not really.

3.4 Type of Proposal

The type of proposals, that is, the type of techniques, has been classified as:

- Quality definition: when only the quality characteristics which are desirable for SPL are proposed, specified or defined.
- Quality improvement: when the proposal attempts to improve the quality characteristics.
- Quality assessment using scenarios: when the quality characteristics are evaluated through scenarios.
- Quality assessment using metrics: when the quality characteristics are evaluated by metrics.
- Quality assessment using scenarios and metrics: when scenarios and metrics are used to evaluate quality characteristics.

We can conclude that the majority of the papers considered only propose a list of quality characteristics which are relevant for evaluating SPL quality. The most widespread evaluation technique in the field of SPLs are scenarios and, to a lesser extent, quantitative metrics.

3.5 Research Method

We have considered five research methods, which reveal the type of evidence of the proposal; this shows how much evidence relating to SPL quality existed. The following research methods are ordered from their lowest to their highest levels:

- Speculation: the paper describes the quality characteristics, without presenting any study or example that would indicate its feasibility in software projects.
- Example: the paper describes approaches or proposals, showing their utility by means of an example.
- Survey: the paper sets out a questionnaire filled in by experts.
- Experience/industrial report: the paper describes a real team which is developing software in industry using the proposed SPL quality approach.
- Experimentation: the paper evaluates the SPL quality approach in some detail through an experimental.

Analyzing the papers, we can conclude that the level of empirical evidence in the different approaches proposed in the context of SPL quality is very low. The majority (44.19%) of the proposals are illustrated only with examples. Approximately 24% of papers are supported by experimentation. In this case, all of the 10 papers that were found validate the approaches presented through the use of case studies.

3.6 Type of Support

The proposal was considered to have a tool when the authors affirmed that a new tool had been created or when one or several existing tools was/were able to support their proposal. 20 (47%) of the 43 papers selected provided a support tool. The majority of the papers which did not propose a tool were those which were classified as “quality definition” in the “type of proposal” category, i.e. those papers which were limited to only defining quality characteristics did not propose any evaluation or improvement techniques.

3.7 Additional Results

Crossing the criteria application domain, research method, type of proposal and type of support, we can conclude that:

- The highest number of approaches validated through experiments exists in the Telecommunications domain, which is followed by the “Embedded systems” category.
- In the various Application domains, approximately the same number of proposals is supported by a tool as those which are not supported by a tool.
- The research method used to validate the proposals in each application domain is almost the same.
- Quality improvement proposals exist only in the Embedded systems and the General product line domains.
- In the Telecommunications and Medical domains, a high number of papers exist that only define quality characteristics.

Crossing “Quality characteristic” and other criteria we found that:

- For most of the quality characteristics, the “Object of study” was “Software architecture of the product line”. However, for the Effectiveness characteristic, the main “Object of study” was “Software product obtained from SPLs” and for Applicability, it was “Others”.
- For the majority of quality characteristics, the “Application domain” used to the greatest extent was “Embedded system industries”.
- For the greater proportion of quality characteristics, the main “Type of proposal” was “Quality assessment using scenarios” and also “Quality definition”. However, for the Usability and the Applicability characteristics, it was “Quality assessment using metrics”.
- The “Research method” that enjoyed most widespread use for the greater part of the characteristics was “Example”.

3.8 Recommendations

In this point, taking into account the results obtained, as well as our experience, some recommendations are presented in the context of SPL quality research. These are:

- A standard quality model for SPLs is needed, including characteristics and sub-characteristics, bearing in mind the quality characteristics researched in the context of SPL. In addition, techniques for assessing and improving such characteristics must be provided.
- SPL development must be spread more widely in the academic context, to make controlled experiments by students more possible. These are necessary if we are to find preliminary results before validating the proposal in industrial environments.
- A repository of easily accessible examples of SPLs that have already been developed is needed. They can be used as examples in the empirical validation of the approaches proposed for the evaluation and improvement of SPL quality. The development of SPLs consumes a great deal of resources, something which the majority of researchers lack in their universities. They consequently find it impossible to validate their proposals empirically.
- Further empirical validation by performing case studies or controlled experiments is essential if the level of evidence in this field is to be increased. If that were carried out, the approaches proposed for evaluating or improving SPL quality could become credible and would consequently be adopted by practitioners in industrial environments.

4 CONCLUSIONS AND FUTURE WORK

In this paper, we have presented a review of the main quality characteristics considered in the context of SPL development, by performing an SLR on the existing literature. We have found 43 primary studies in 5 digital libraries. The main findings organised by the selected data extraction criteria are shown in Table 2.

Table 2: Summary of the main findings.

Criteria analysed	Main findings
Quality characteristic	The quality characteristics in the majority of the works published are maintainability and reusability, followed by reliability, functionality, portability and availability.
Object of study	The quality focus of SPL development seems to centre principally upon SPL architecture.
Application domain	With regard to the SPL domain, the embedded systems are extensively published, and are mainly telecommunications infrastructures, medical machines and electronic systems. The software and the architecture of these domains are evaluated. The Telecommunications industry is the domain most frequently reported in our SLR.
Type of proposal	The papers contain several metrics concerning the quality of a software product line. Although a high percentage (35%) of the proposals limit themselves to proposing a list of characteristics, without showing how to evaluate or improve them, 65% of the papers propose the use of metrics and/or scenarios in the evaluation of quality, or a method to improve the quality.
Research methods	24% of the proposals present an experiment, which means that the majority of the proposals lack empirical validity.
Type of support	Different tools have been defined in the articles, in particular from the development of their own product lines.

From the SLR we can conclude that the area of SPLs is not yet mature and that our results are very useful for practitioners and researchers who need quality if they are using SPLs.

Future work is foreseen, which would take on the building of a quality model for SPLs, supported by a tool. There would be a validation of the quality model by means of empirical studies.

ACKNOWLEDGEMENTS

This research has been funded by the following projects: MEDUSAS (CDTI-MICINN and FEDER IDI-20090557), ORIGIN (CDTI-MICINN and FEDER IDI-2010043(1-5)), PEGASO/MAGO (MICINN and FEDER, TIN2009-13718-C02-01), EECCOO (MICINN TRA2009_0074), MECCA (JCOMM PII2I09-0075-8394), IMPACTUM (PEII 11-0330-4414) and VILMA (JCCM PEII 11-0316-2878).

REFERENCES

Bass, L., Clements, P., Kazman, R., 1998. *Software architecture in practice*. Boston, MA, USA.
 Clements, P., Northrop, L., 2001. *Software Product Lines: Practices and Patterns*. Boston: Addison-Wesley.
 Kitchenham, B., Charters, S., 2007. Guidelines for performing systematic literature reviews in software engineering. *Technical Report EBSE-2007-01, School of Computer Science and Mathematics, Keele University.*