



# SLR-Tool: A tool for developing Systematic Literature Reviews

## Installation manual



Ana María Fernández ,Marcela Genero Bocco, Francisco Pascual Romero Chicharro

Alarcos Research Group

[AnaMaria.Fernandez@uclm.es](mailto:AnaMaria.Fernandez@uclm.es); [Marcela.Genero@uclm.es](mailto:Marcela.Genero@uclm.es)

Smile Research Group

[FranciscoP.Romero@uclm.es](mailto:FranciscoP.Romero@uclm.es)

### SUMMARY

1. System requirements .....	3
2. Installation steps .....	3

### 1. SYSTEM REQUIREMENTS

This application has been designed to run under Windows XP or Windows Vista operating system.


For the correct functioning of the same, you must have installed the database manager MySQL Server 5.1.

### 2. INSTALLATION STEPS

Firstly, you must install MySQL Server 5.1, if is not already installed. You can download free from the following website: <http://dev.mysql.com/downloads/>


After downloading the program SLR-Tool, you must decompress the file. As shown in Figure 1, the content is as follows:

- The SLR-Tool executable.
- A folder containing the files needed for SLR-Tool configuration.



**Figure 1. Contents of downloaded file with the tool SLR-Tool**


Next, open the folder and run the file configuracionSLRTool.jar, and an application will be deployed such as can be seen in Figure 2:



**Figure 2. Interface Application Configuration Tool**

The application is available in two languages (English and Spanish) and to change it you only need to click on the buttons located on the bottom left, for that role.

Firstly, you must choose the path where the folder "bin" of MySQL Server is. The interface has a chart with an example to make clear which route you must select. To obtain this action you must click on the "Search" button. A new window as shown in Figure 3, in which you will select the folder indicated above.



**Figure 3. File chooser.**

Then, you must enter the username and password with which you have installed MySQL. For example, user = root and password = 123.

Finally, if you want the tool has a small example with some data of a review, select the option to load a sample into the tool.

Clicking on the "Accept" button and waiting a few seconds, the application displays a message indicating whether the configuration of the tool has been successfully or not.

From that point, you can open the file SLRTool.jar many times as desired.